



Korea No.1 Shredder Company _____

Kostal
Document Security for Tomorrow



DAEJINK**Kostal** CO., LTD.



No.1

Shredder Company in Korea

“Made in Korea”

“Made for customers”

“Made by highly-qualified specialists”

DAEJIN KOSTAL was founded in 1974

DAEJIN KOSTAL has been providing our customers with International Technology for more than 40 years. Now, we have 80% of the market share for paper shredders in Korea. Today we manufacture and market more than 100 different models of paper shredders, HD shredders and other shredders.

We supply qualified shredders to more than 40 countries.

DAEJIN KOSTAL shredders are the security investment for tomorrow that is available today.

WORLD BEST TECHNOLOGY 150 of Patents, Utility & Design



Super Cleaning Cutter (patent : 10-1727212 / 10-0986620)

The life of any shredder is dependent upon the durability of the cutter. The KOSTAL cutter is made of special steel that has been heat-treated to a very high specification and specially ground to ensure longevity.



Self Diagnosis System (patent : 10-0560339)

The usage of KOSTAL shredders such as operation time, number of auto-reverse, bin full and so on are recorded in the main IC and can be displayed for the AS Service and maintenance.



Auto Recovery of Optical Sensor (patent : 10-1703884)

KOSTAL shredders are equipped with the auto optical sensor recovery function in case that the optical sensor loses its sensitivity.

CERTIFICATIONS



CE



UL

NSA/CSS

NSA/CSS



PSE



GSA



NAID

DIN 66399



P-1

SECURITY LEVEL 1

Particle size ≤ 2000 or strip width ≤ 12 . Unlimited strip length.



P-2

SECURITY LEVEL 2

Particle size ≤ 800 or strip width ≤ 6 . Unlimited strip length.



P-3

SECURITY LEVEL 3

Particle size ≤ 320 (for example particles 6×50) or strip width ≤ 2 . Unlimited strip length.



P-4

SECURITY LEVEL 4

Particle size ≤ 160 and for regular particles: strip width ≤ 6 . (for example particles 4×40).



P-5

SECURITY LEVEL 5

Particle size ≤ 30 and for regular particles: strip width ≤ 2 . (for example particles 2×15).



P-6

SECURITY LEVEL 6

Particle size ≤ 10 and for regular particles: strip width ≤ 1 . (for example particles 0.8×12).



P-7

SECURITY LEVEL 7

Particle size ≤ 5 and for regular particles: strip width ≤ 1 . (for example particles 0.8×5).

KOSTAL in the World



AMERICA

USA
Panama
Brazil
Guatemala
Costa Rica
Barbados

EUROPE

Russia
Turkey
Belgium
Spain
UK
Italy
Sweden

AFRICA

Uganda
Malawi
Republic of South Africa

MIDDLE EAST

UAE
Iran
Oman
Lebanon
Saudi Arabia
Kuwait
Israel

OCEANIA

Australia
Vanuatu
New Zealand
Tonga
Fiji

ASIA

Taiwan
Macau
Singapore
Indonesia
India
Philippines
Thailand
China
Hong Kong
Malaysia
Japan
Pakistan
Vietnam

PERSONAL OFFICE SHREDDERS


NEW

Model	KS-1245	KS-1265	KS-1270
Throat (mm)	245	265	270
Cutting Size (mm)	2x15	2x15	3x30
Cutting Capacity (A4, 75g)	13~15	15~17	20~22
Power Consumption (W)	430	500	500
Bin Volume (L)	37	50	65
Dimension (mm)	420x390x680	420x390x780	420x390x870
Weight (kg)	42	48	52



Model	KS-1230A	KS-1245A	KS-1250A	KS-1260A	KS-1265A	KS-1270A	KS-1270C
Throat (mm)	230	245	250	260	265	270	
Cutting Size (mm)	2x15		2x15			2x15	3x30
Cutting Capacity (A4 75g)	15~17		15~17			15~17	20~22
Power Consumption (W)	430		500			500	
Bin Volume (L)	37		55			65	
Dimension (mm)	420x390x630		420x390x730			420x390x820	
Weight (kg)	42		48			52	

GENERAL OFFICE SHREDDERS



Model	KS-1305AF
Throat (mm)	305
Cutting Size (mm)	3x30
Cutting Capacity (A4, 75g)	26~28
Power Consumption (W)	1600
Bin Volume (L)	92
Dimension (mm)	470x475x940
Weight (kg)	68



KS-1305AF

Model	KS-1275	KS-1305
Throat (mm)	275	305
Cutting Size (mm)	3x30	
Cutting Capacity (A4, 75g)	26~28	27~29
Power Consumption (W)	1600	
Bin Volume (L)	78	86
Dimension (mm)	470x475x870	470x475x940
Weight (kg)	62	75



Auto Feeder System (A4/A3)

- The document shredder with an automatic paper feed and shreds stacks of paper up to 150 sheets as well as single sheets of paper easily whilst saving your time.

NEW



Model	KS-1275B	KS-1275C	KS-1275D	KS-1285B	KS-1285C	KS-1285D	KS-1295B	KS-1295C	KS-1295D
Throat (mm)	275			285			295		
Cutting Size (mm)	2x30	3x30	4x30	2x30	3x30	4x30	2x30	3x30	4x30
Cutting Capacity (A4, 75g)	20~22	26~28	35~40	20~22	28~30	35~40	20~22	28~30	35~40
Power Consumption (W)	1600			1600			1600		
Bin Volume (L)	78			78			92		
Dimension (mm)	470x475x800			470x475x800			470x475x870		
Weight (kg)	62			62			65		

Model	KS-1300B	KS-1300C	KS-1300D	KS-1305B	KS-1305C	KS-1305D	KS-1310B	KS-1310C	KS-1310D
Throat (mm)	300			305			310		
Cutting Size (mm)	2x30	3x30	4x30	2x30	3x30	4x30	2x30	3x30	4x30
Cutting Capacity (A4, 75g)	20~22	28~30	35~40	20~22	28~30	35~40	20~22	28~30	35~40
Power Consumption (W)	1600			1600			1600		
Bin Volume (L)	105			105			105		
Dimension (mm)	470x475x970			470x475x970			470x475x970		
Weight (kg)	68			68			68		

HIGH CAPACITY SHREDDERS



Model	KS-1400C	KS-1410D
Throat (mm)	400	410
Cutting Size (mm)	3x30	4x30
Cutting Capacity (A4, 75g)	17~19	35~38
Power Consumption (W)	1600	2400
Bin Volume (L)	100	200
Dimension (mm)	600x500x940	630x550x1090
Weight (kg)	110	130



Model	KS-1275BL	KS-1275CL	KS-1275DL	KS-1310BL	KS-1310CL	KS-1310DL
Throat (mm)	275			310		
Cutting Size (mm)	2x30	3x30	4x30	2x30	3x30	4x30
Cutting Capacity (A4, 75g)	20~22	28~30	35~40	20~22	28~30	35~40
Power Consumption (W)	1600			1600		
Bin Volume (L)	120			120		
Dimension (mm)	500x500x1000			500x500x1000		
Weight (kg)	75			75		

HIGH SECURITY SHREDDERS



KOSTAL High Security Shredders

- ▶ have been evaluated by NSA and meet the requirements of NSA/CSS specification for Level P-7.

NEW


Model	KS-1230NS	
	Paper	CD
Throat (mm)	230	125
Cutting Size (mm)	1x1	2x4
Cutting Capacity (A4, 75g)	10~12	1
Power Consumption (W)	2400	
Bin Volume (L)	52	32
Dimension (mm)	670x550x1090	
Weight (kg)	170kg	

Model	KS-1235H	KS-1275H	KS-1285H	KS-1310H
Throat (mm)	235	275	285	310
Cutting Size (mm)	1x5			
Cutting Capacity (A4, 75g)	4~5	7~8	7~8	8~9
Power Consumption (W)	500	1600		
Bin Volume (L)	43	78	92	120
Dimension (mm)	420x390x630	470x475x800	470x475x870	500x500x850
Weight (kg)	42	66	70	76

World No.1 Highest Security 1x1mm
Supply to National Security Agency



SPECIAL SHREDDERS



Spiral Cutter System



Double Layer cutter blade

- ▶ Low noise and dust
- ▶ High Cutting capacity



Model	KS-1310CSR
Throat (mm)	310
Cutting Size (mm)	3x30
Cutting Capacity (A4, 75g)	26~28
Power Consumption (W)	1600
Bin Volume (L)	115
Dimension (mm)	550x550x970
Weight (kg)	95

Model	KS-1310SCA	KS-1310SCB
Throat (mm)	310	310
Cutting Size (mm)	3x14	6x14
Cutting Capacity (A4, 75g)	30~32	40~42
Power Consumption (W)	1600	
Bin Volume (L)	115	
Dimension (mm)	550 x 550 x 970	
Weight (kg)	108	



SRP (Swing Roller Press) System



- ▶ Swing Roller Press prevent shredding material accumulating like a mountain and press it





► Powerful enough to shred just about anything including entire files, cardboard, tapes, optical disks, USB flash drives, crumpled paper and magnetic disks.



Powerful Shredding CD/DVD, ID & Credit Card

Multipurpose Shredding Function

► Open the lid and shred crumpled paper and so on.



Model	KS-450H3
Throat (mm)	450
Cutting Size (mm)	4x30~60
Cutting Capacity (A4, 75g)	75~80
Power Supply	3 phase 380V/60Hz
Driving Power (W)	2200
Bin Volume (L)	230
Dimension (mm)	760x740x1540
Weight (kg)	450

Model	KS-1245CD
Throat (mm)	245
Cutting Size (mm)	4 x 30
Cutting Capacity (A4, 75g)	35~40
Power Supply	220V/60Hz
Power Consumption (W)	1600
Bin Volume (L)	70
Dimension (mm)	450x450x930
Weight (kg)	78



INDUSTRIAL SHREDDERS



Model	KS-1410E
Throat (mm)	410
Cutting Size (mm)	6 x [30~80]
Cutting Capacity (A4 75g)	300~350kg/hr
Power Supply	3phase 380V/60Hz
Driving Power (W)	2250
Bin Volume (L)	150
Dimension (mm)	720 x 1330 x 1230
Weight (kg)	450



Model	KS-1550EB
Throat (mm)	550
Cutting Size (mm)	[5~20] x [40~120]
Cutting Capacity (A4 75g)	650~700kg/hr
Power Supply	3phase 380V/60Hz
Driving Power (W)	7500
Baler Volume (L)	800 x 570 x 490
Dimension (mm)	1220 x 2050 x 1600
Weight (kg)	2000



Model	KS-1550E
Throat (mm)	550
Cutting Size (mm)	[5~20] x [40~120]
Cutting Capacity (A4 75g)	650~700kg/hr
Power Supply	3phase 380V/60Hz
Driving Power (W)	7500
Bin Volume (L)	430
Dimension (mm)	1220 x 2050 x 1600
Weight (kg)	1300



Model	KP-C500
Throat (mm)	380 ~ 410
Power Supply	3phase 380V/60Hz
Power Consumption (W)	90 ~ 200
Dimension (mm)	764 x 2116 x 1165
Weight (kg)	125

NON-STOP & BALER SYSTEM SHREDDERS

- Designed to meet customer requirements
- Shred banknote, check and securities

per hour
2.5t

Cutting size
5x40mm

Compacts
200kg

3rd SHREDDER

5x40mm

2nd SHREDDER

15x120mm

1st SHREDDER

25x100~180mm



BALER

Maximum Compact 200kg
(Compressible size adjustable)

MEDIA SHREDDERS



Model	KS-13230MS		
Media	Paper	USB	Lap-top HDD
Throat (mm)	230	40	90
Cutting Size (mm)	4x30	4x30	40xRandom
Cutting Capacity (A4, 75g)	35~38	—	4~5 ea/min.
Power Supply	220V/60Hz		
Power Consumption (W)	1600		
Bin Volume (L)	98	10	10
Dimension (mm)	600x500x940		
Weight (kg)	110		



Model	KS-13300HD	
Media	Paper	Desk-top HDD
Throat (mm)	330	120
Cutting Size (mm)	5x30~75	40xRandom
Cutting Capacity (A4, 75g)	80 ~ 100	4~5ea/min
Power Supply	3phase 380V/60Hz	
Driving Power (W)	1500	
Bin Volume	110L	12.5kg
Dimension (mm)	850 x 950 x 1170	
Weight (kg)	570	



Model	KS-165MS
Media	SSD, USB, CD/DVD, Memory
Throat (mm)	165
Cutting Size (mm)	4x15
Cutting Capacity (A4 75g)	3~4
Power Supply	220V/60Hz
Power Consumption (W)	2400
Bin Volume (L)	15
Dimension (mm)	550x550x983
Weight (kg)	130

HARD DRIVE SHREDDERS



Recording System (Option)



Desk-top HDD



40 x random



Lap-top HDD



5 x random



Model	KS-13120HD		KS-3120HSV	
Media	Desk-top	Lap-top	Desk-top	Lap-top
Throat (mm)	110	90	150	90
Cutting Size (mm)	40xRandom	5xRandom	40xRandom	5xRandom
Cutting Capacity (A4, 75g)	4~5	5~6	5~6	7~8
Power Supply	3phase 380V/60Hz			
Driving Power (W)	1500		3750	
Bin Volume	12.5kg(20ea)		12.5kg(20ea)	
Dimension (mm)	600 x 850 x 1170		800 x 1120 x 1232	
Weight (kg)	500		900	

Model	KS-13110HP
Throat (mm)	118
Hole Size (mm)	10
Capacity	2~3ea/min
Power Supply	220V/60Hz
Power Consumption (W)	500
Bin Volume	10kg
Dimension (mm)	500 x 470 x 890
Weight (kg)	70

CASINO SHREDDERS

Commercial-grade power for highly-sensitive casino game pieces

- Solid-steel cutting blades and a heavy-duty motor shred entire decks of playing cards, dice, casino chips, coins and gaming tokens. Simply drop items on the in-put conveyor and press Start on the control panel. Shredded particles are then collected in the rugged molded plastic waste bin for secure disposal.



Model	KS-30CA	KS-120CA
Throat (mm)	300	120
Cutting Size (mm)	13x88	5x75
Cutting Capacity (A4 75g)	250~300kg/hr	100kg/hr
Power Supply	3phase 380V/60Hz	220V/60Hz
Driving Power (W)	2250	1500
Bin Volume (L)	124	48
Dimension (mm)	735x1335x1320	600x850x1245
Weight (kg)	460	430



CARD SHREDDING SYSTEM WITH DECK CHECKERS

Industrial-grade power for highly-sensitive casino game pieces

- ▶ In the casino and gaming industry, security is a top priority, both on the gaming floor and behind the scenes. Reduce the risk of fraud with the Kostal Casino Shredder. This specially-designed unit combines user-friendly features with the industrial strength needed to ensure retired gaming pieces stay out of the wrong hands.

The World 1st Squeezed Card Deck Checking System.

- ▶ Speedy and accurate card deck checking (UV Function included)
- ▶ Card Life Cycle Management (Card Warehousing → Using → Destroying)
- ▶ Deck-checking information goes to main server and cards goes to shredder by the conveyor.



RECYCLING EQUIPMENTS

CAN · PET Shredder



CP-115



CP-115S



PET : 29L → 3.2L



CAN : 11L → 3L

Model	CP-115S		CP-115	
Media	PET	CAN	PET	CAN
Throat (mm)	115	80	115	80
Cutting Size (mm)	10x40	pressed	10x40	pressed
Cutting Capacity (A4, 75g)	400ea/hr	800ea/hr	400ea/hr	800ea/hr
Power Supply	220V/60Hz			
Power Consumption (W)	1600			
Bin Volume (L)	19(30ea)	10(40ea)	42(65ea)	30(120ea)
Dimension (mm)	385x450x815		500x500x1180	
Weight (kg)	64		125	

Cardboard Perforator



CB-430



CB-410



Model	CB-410	CB-430
Throat (mm)	410	430
Perforate Speed (min/m)	10.4	12.2
Capable Thickness (mm)	10	20
Power Supply	220V/60Hz	
Power Consumption (W)	1600	2400
Dimension (mm)	420x590x360	570x630x970
Weight (kg)	50	123

SHREDDER SUPPLIES

High Density Shredder Bags



Shredder Lubricating Oil




Self Diagnosis Kit



Hook and up System

- Waste rack holding device locks bag to the bottom of the cutting mechanism, increasing cabinet's capacity for waste. Prevents fine dust and chips from escaping into work area.





Headquarter / Factory

R & D Center



DAEJIN KOSTAL CO., LTD.

163, Bupyeongbuk-ro, Bupyeong-gu, Incheon, Korea

Tel. +82-32-512-4561 Fax. +82-32-529-6918

E-mail. trade@djkostal.co.kr

Design, color and specification can be modifiable for quality improvement. Individual order is gladly practicable. Printed in **2018.11**