



JEICO.com



JEICO®

JEICO® is the name of industrial radio remote controller
Learn more at www.jeico.com or contact a jeico representative to get info.



CEO Message

JEICO is a maker of industrial radio remote controllers in industrial use, such as for hoist and (over head & tower) crane, winches and gate, automobiles, conveying and transporting, and so on, for remote and wireless controlling fields both in the light and heavy industries.

With our continuous study and cutting-edge technology, we've launched various series and new products. This was recognized by the government, and we were registered as a venture company having high technology. Also, our research institute registered as well is laying the foundation for deeper research.

Our technology has been widely recognized in the field, from remote control for workplace convenience to radio control for safety in industrial sites like cranes, steel power plants, etc. In particular, we developed radio controls to be used in explosion-proof areas, which are certified as intrinsic safety products. Such development is a first in Korea. Our products—all developed using our own technology, from remote control program to communication equipment—are getting more recognized as good and high qualities and yet much low error rates found comparing with others.

We have devoted and focused ourselves to the industrial radio remote control field with the confidence and assuring that we can be No. 1 in the world maybe tomorrow. Based on our cutting-edge technology, we will continue trying to be a leader in the industry at present 21st



(Philip) Dow Byun, Chief Executive Officer (CEO) of JEICO

History

- 2003** 08 Established JEICO, specialized in the field of industrial remote controllers
10 Joined partnership with LEE's Hi-Tech in Taiwan
- 2005** 01 Certified ISO 9001
- 2007** 01 Certified ISO 14001
02 Organized 9 local agents for covering Korean territory
10 Participated in the 2007 Vietnam International Industrial Exhibition
- 2012** 11 Opened JEICO Customer Service Center in Seoul
- 2013** 05 Participated in the 2013 Busan International Machinery Fair (BUTECH)
09 Established and Certified JEICO Research Institute
10 Registered and Certified Venture Enterprise
12 Patent registered for EMS Button (Reg. No. 20-0470404)
- 2014** 04 Participated in the 2014 Seoul International Machine Tool Show (SIMTOS) International Exhibition
09 Certified Explosion Proof Remote Controller(Ex ib IIC T4), ever first and only one in Korea
- 2015** 08 Obtained CE marks for JREMO 8K and JREMO 10K
11 Qualified and Participated as a member of the 2015 Iran and Turkey Markets Development
12 Started to Open the markets of Iran and Turkey
- 2016** 04 Participated in the 15th G-Fair Tokyo Korean Products Exhibition and Conference
07 Factory moved to get a new affiliated building
10 Contracted with Iran partner as a sole agent of Iran
10 Participated in the Iran (Tehran) International Machine Exhibition
11 Obtained CE marks for JREMO 6K and JREMO 14K
12 Qualified and Participated as a member of the 2016 Vietnam Market Development
- 2017** 03 Selected as a successful company for the Inter-Industry-School Program
03 Obtained CE marks and RoSH for JREMO 3K and JREMO 6K+
04 Qualified and Participated as a member of the 2017 European Trade Mission
06 Qualified and Participated as a member of the 2017 Busan CIS Trade Mission
07 Design Patent registered for a Tx (Remote Controller)(Reg. No. 30-0918780)
11 Qualified and Participated as a member of the Hanoi & Bangkok Trade Mission
12 Obtained TELEC certification (Japan frequency cert)
- 2018** 04 Participated in the SEA JAPAN 2018 Exhibition
05 Qualified and Participated as a member of the India Trade Mission
07 Participated in the MTA Vietnam 2018(Ho chi minh city) Exhibition
09 Qualified and Participated as a member of the South America Market Development
09 Qualified and Participated as a member of Global start-up in Vietnam
10 Qualified and Participated as a member of the Dubai Trade Mission
10 Participated in the MTA Hanoi 2018 Exhibition
11 Qualified and Participated as a member of the Vietnam & Indonesia Trade Mission
12 Participated in the MIS 2018 (Jakarta) International Machinery Exhibition
- 2019** 02 Contracted with Indonesia partner as a sole agent of Jakarta
02 Established JEICOINDEA in Mumbai, India
03 Participated in the WIN Eurasia 2019 (Turkey) Machinery Exhibition
03 Qualified and Participated as a member of the Romania Trade Mission
05 Participated in the METALTECH MALAYSIA 2019 Machinery Exhibition



Industrial wireless remote controls

require safety first and then varified quality and constisant performance to follow as an integral part of functions. JEICO, specialized in the field of radio remote controllers, who are a far major sharer of Korean markets now, can dare say JEICO means the name of 'safe and reliable' to use without question and also 'good to handle', we eagerly want to deliver and share a goodness as well as a happiness even in the dirty and dangerous sites.



Industrial radio remote controls, which are essential in dangerous work sites or controlling huge machines, require high technology for safety, as well as the convenience of the users. JEICO stands out with the best product quality and leading-edge technology.



Here are three things to sum up our Spirit and Commitment :
First, be **Speedy**
Second, be **Smart**
And the last, let them **Smile** all Smiles who are using our products!

JEICO Photo's in Full angle



JREMO 3K

- . Emergency Stop(EMS)
- . Safe Startup
- . Single & Double P/B
- . One-Touch Sync.

JREMO 4L

- . Emergency Stop(EMS)
- . Safe Startup
- . Single & Double P/B
- . Volume Control
- . One-Touch Sync.

JREMO 6K

- . Emergency Stop(EMS)
- . Safe Startup
- . Single & Double P/B
- . One-Touch Sync.

JREMO 6K+

- . Emergency Stop(EMS)
- . Safe Startup
- . Single & Double P/B
- . +1 Function Added
- . One-Touch Sync.
- . Versatile Functions

JREMO 8K

- . Emergency Stop(EMS)
- . Safe Startup
- . Single & Double P/B
- . One-Touch Sync.
- . Versatile Functions

JREMO 10K

- . Emergency Stop(EMS)
- . Safe Startup
- . Single & Double P/B
- . One-Touch Sync.
- . Dual Hoists
- . Versatile Functions

JREMO 10EX


- . Explosion Proof Tx
- . Grade: Ex ib IIC T4
- . Same to 10K Functions
- . Korean Cert Nos. : 14-KB2BO-0403X & MSIP-CRM-JEI-JREMO-10EX

JREMO 14K

- . Emergency Stop(EMS)
- . Safe Startup
- . Single & Double P/B
- . One-Touch Sync.
- . Dual & Double Cranes
- . Versatile Functions

JREMO 3K


Material Nylon Fiber
Color Yellow(top), Black(bottom)
Weight Approx. 185 Gr.(Batteries Incl.)
Protection IP55



| CLASSIFICATION | |
|----------------------------------|--|
| Model with Suffix | Buttons Type |
| JREMO 3K A | 3 single-push buttons |
| JREMO 3K C | 2 double-push buttons and 1 single-push button |
| Receiver Size : JREMO RX 2 | |
| Standard : AC 100~440V | |
| Options : AC48V, DC12~40(24~60)V | |

| | |
|---------------------|--|
| Model | JREMO 3K |
| Type | P. L. L. |
| Power Supply | AA 1.5V battery x 2 EA |
| Frequency | 173MHz (35CH), 433MHz (70CH), 447MHz (32CH), 429MHz (40CH) |

BUTTON ARRANGEMENT



JREMO 3K

(2 or 3 simple movement)



INDUSTRIAL EQUIPMENTS AND YOUR SIMPLE APPLICATIONS

YOUR APPLICATIONS




Construction elevator



Gate door (hangar, garage etc)




Light-lifting crane




JREMO 4L

Material Nylon Fiber
Color Yellow(top), Black(bottom)
Weight Approx. 205 Gr.(Batteries Incl.)
Protection IP55



| CLASSIFICATION | |
|----------------------------------|----------------------------------|
| Model with Suffix | Buttons Type |
| JREMO 4L A | 4 standard single-push buttons |
| JREMO 4L B | 4 double-push buttons |
| JREMO 4L C | 4 up and down creep-push buttons |
| Receiver Size : JREMO RX 2 | |
| Standard : AC 100~440V | |
| Options : AC48V, DC12~40(24~60)V | |

| | |
|---------------------|--|
| Model | JREMO 4L |
| Type | P. L. L. |
| Power Supply | Lithium-ion battery |
| Frequency | 173MH(35CH), 433MH(70Hz), 447MG (32CH), 429MHz(40CH) |



JREMO 4L

(Volume controller)



AGRICULTURAL APPLICATION & VEHICLE TECHNOLOGY

YOUR APPLICATIONS



Agricultural robots (Spray, Farming, Harvesting)




Ladder truck

High place operation car



JREMO 6K

Material Nylon Fiber
Color Yellow(top), Black(bottom)
Weight Approx. 185 Gr.(Batteries Incl.)
Protection IP55



JREMO 6K


(Most widely use for basic Crane & hoist)



INDUSTRIAL CRANES & LIFTING EQUIPMENT & VEHICLE TECHNOLOGY

| CLASSIFICATION | |
|-------------------|---|
| Model with Suffix | Buttons Type |
| JREMO 6K A | 6 single-push buttons |
| JREMO 6K B | 4 to 6 Double push buttons |
| JREMO 6K C | 6 up and down creep-push buttons |
| JREMO 6K M | 6 single-push buttons for special DC for automobile, etc. |
| JREMO 6K FA | 4 single-push buttons for hoists |
| JREMO 6K FB | 4 double-push buttons for hoists |
| JREMO 6K FC | 4 up and down creep-push buttons for hoists |
| JREMO 6K FM | 4 single-push buttons for special DC for automobile, etc. |

Receiver Size : JREMO RX 2
 Standard : AC 100~440V
 Options : AC48V, DC12~40(24~60)V



| | |
|---------------------|--|
| Model | JREMO 6K |
| Type | P. L. L. |
| Power Supply | AA 1.5V battery x 2 EA |
| Frequency | 173MHz (35CH), 433MHz (70CH), 447MHz (32CH), 429MHz (40CH) |



YOUR APPLICATIONS



Overhead Crane with 1 hooked Hoist



Self Loader truck




Electric transfer bogie




JREMO 6K+

Material Nylon Fiber
Color Yellow(top), Black(bottom)
Weight Approx. 185 Gr.(Batteries Incl.)
Protection IP55



| CLASSIFICATION | |
|--|---|
| Model with Suffix | Buttons Type |
| JREMO 6K+ A | 7 single-push buttons |
| JREMO 6K+ B | 4 double-push and 3 single-push buttons or 6 double-push buttons and 1 single-push button |
| JREMO 6K+ C | 7 up and down creep-push buttons |
| Receiver Size : JREMO RX 3 Standard : AC 100~440V Options : AC48V, DC12~40(24~60)V | |

| | |
|---------------------|--|
| Model | JREMO 6K+ |
| Type | P. L. L. |
| Power Supply | AA 1.5V battery X 2 EA |
| Frequency | 173MHz (35CH), 433MHz (70CH), 447MHz (32CH), 429MHz (40CH) |



JREMO 6K+

(6+1 functions)



INDUSTRIAL CRANE AND HARBOR & SHIP TECHNOLOGY

YOUR APPLICATIONS



Shipyards crane




Jib Crane



JREMO 8K

Material Nylon Fiber
Color Yellow(top), Black(bottom)
Weight Approx. 355 Gr.(Batteries Incl.)
Protection IP55



JREMO 8K

(A&B functions)

INDUSTRIAL CRANE & VEHICLE TECHNOLOGY




| CLASSIFICATION | |
|-------------------|---|
| Model with Suffix | Buttons Type |
| JREMO 8K A | 8 single-push buttons |
| JREMO 8K B | 6 double-push and 2 single-push buttons |
| JREMO 8K C | 2 double-push and 6 single push buttons |
| JREMO 8K M | 8 single-push buttons for special DC for automobile, etc. |

Receiver Size : A,C : JREMO RX 2 / B,M : JREMO RX 3
 Standard : AC 100~440V
 Options : AC48V, DC12~40(24~60)V

| | |
|---------------------|---|
| Model | JREMO 8K |
| Type | P. L. L. |
| Power Supply | AA 1.5V battery x 4 EA |
| Frequency | 173MHz (35CH), 433MHz (70CH), 447MHz (32CH, 429MHz (40CH) |

BUTTON ARRANGEMENT



YOUR APPLICATIONS




Gantry cranes



Overhead Crane with 2 hooked Hoist.




Crane Truck



JREMO 10K

Material Nylon Fiber
Color Yellow(top), Black(bottom)
Weight Approx. 395 Gr.(Batteries Incl.)
Protection IP55




| CLASSIFICATION | |
|-------------------|--|
| Model with Suffix | Buttons Type |
| JREMO 10K A | 10 single-push buttons |
| JREMO 10K B | 6 double-push and 4 single-push buttons |
| JREMO 10K C | 2 double-push and 8 single-push buttons |
| JREMO 10K D | 8 double-push and 2 single-push buttons |
| JREMO 10K M | 10 single-push buttons for special DC for automobile, etc. |

Receiver Size : JREMO RX 3
 Standard : AC 100~440V
 Options : AC48V, DC12~40(24~60)V

| | |
|---------------------|--|
| Model | JREMO 10K |
| Type | P. L. L. |
| Power Supply | AA 1.5V battery x 4 EA |
| Frequency | 173MHz (35CH), 433MHz (70CH), 447MHz (32CH), 429MHz (40CH) |

BUTTON ARRANGEMENT



JREMO 10K

(A+B functions)



CONSTRUCTION CRANES & MACHINERY

YOUR APPLICATIONS



Overhead Crane with 2 Hoist




Hydraulic Press



Tower Crane



Auto Feeding Car




JREMO 10EX

Explosion-Proof Remote Control

- Material** ANTISTATIC ABS
- Color** Black(top), Black(bottom)
- Weight** Approx. 395 Gr.(Batteries Incl.)
- Protection** IP55



Certificates



JREMO 10EX

(Explosion proof type)

HAZARDOUS AREAS (EX-APPROVAL)




| CLASSIFICATION | |
|-------------------|---|
| Model with Suffix | Buttons Type |
| JREMO 10EX A | 10 single-push buttons |
| JREMO 10EX A+ | 10 single-push buttons |
| JREMO 10EX B | 6 double-push and 4 single-push buttons |
| JREMO 10EX C | 2 double-push and 8 single-push buttons |
| JREMO 10EX D | 8 double-push and 2 single-push buttons |

| | |
|---------------------|----------------------------|
| Model | JREMO 10EX |
| Type | P. L. L. |
| Power Supply | AA 1.5V battery x 4 EA |
| Frequency | 447.6 ~ 447.9875MHz (32CH) |

Receiver Size : JREMO RX 3 (Opt. JREMO RX-EX)
 Standard : AC 100~440V
 Options : AC48V, DC12~40(24~60)V

BUTTON ARRANGEMENT



Optional Receiver JREMO RX-EX

YOUR APPLICATIONS



Explosive area




LNG Ship crane



JREMO 14K

Material Nylon Fiber
Color Yellow(top), Black(bottom)
Weight Approx. 450 Gr.(Batteries Incl.)
Protection IP55



JREMO 14K


(More than 14 function with complication)

HEAVY CONSTRUCTION CRANES & MACHINERY AND VEHICLE TECHNOLOGY

| CLASSIFICATION | |
|-------------------|--|
| Model with Suffix | Buttons Type |
| JREMO 14K A | 14 single-push buttons |
| JREMO 14K B | 6 double-push and 8 single-push buttons |
| JREMO 14K C | 2 double-push and 12 single-push buttons |
| JREMO 14K D | 12 double-push and 2 single-push buttons |
| JREMO 14K M | 14 single-push buttons for special DC for automobile, etc. |

| | |
|---------------------|--|
| Model | JREMO 14K |
| Type | P. L. L. |
| Power Supply | AA 1.5V battery x 4 EA |
| Frequency | 173MHz (35CH), 433MHz (70CH), 447MHz (32CH), 429MHz (40CH) |

Receiver Size : A,C : JREMO RX 3 / B,D,M : JREMO RX 4
 Standard : AC 100~440V
 Options : AC48V, DC12~40(24~60)V



YOUR APPLICATIONS



Shipyards(Goliath) Crane




Fire ladder truck



Electromagnetic Crane



Magnet Crane



EMS button

(Emergency Stop and push buttons are arranged on the same surface to maximize safety in an emergency.)

Signal lamp

(LED for indication of operating)

- Normal working : Green
- Battery weak : Blink with Green & Red
- Not working : Red



Rotary switch

(Secondary protection Key switch)
(On/off power function)

Push Buttons

(Single or double speed P/B)
(Customized functions & labelling)

Anti-shock rubber

(Designed for shock protection)



Industrial radio remote controls, which are essential in dangerous work sites or controlling huge machines,



▶ JEICO On Air (Asia Economy TV) https://youtu.be/8yU_OzBv5JU

WHAT WE HAVE MORE ? (OPTIONAL)



Leather cover

Maximise the durability and reliability



Silicon cover

Optimal grab with shock absorbing



Water & Dustproof Cover

Dustproof and also Watertight, protecting against dust and other liquids such as Oil.



Rx Rain cover

Receiver for Outdoor Crane & Hoist.



Copier

For data paring and maintainance



One touch paring

Simplest copying method



Ext. Antenna

Magnet stand Inclusive



Tx Hook

Easy for holding & Carrying

CERTIFICATION



The KC (Korea Certification) certification mark signifies compliance with Korea's product safety requirements for electrical and electronic equipment and components that utilise power from AC 50-1000V



TELEC is Japan certification for Radio frequency Equipment called Radio Equipment Type Approval, the official control organization is Japan's Communications Ministry MIC, the main certification body is appointed by the MIC TELEC (Telecom Engineering Center).



CE marking is a certification mark that indicates conformity with health, safety, and environmental protection standards for products sold within the European Economic Area



RoHS is the acronym for Restriction of Hazardous Substances. RoHS, also known as Directive 2002/95/EC, originated in the European Union and restricts the use of specific hazardous materials found in electrical and electronic products



▶ JEICO Mobile Catalog
<https://makevu.me/bbf3342f39>



▶ Crane Control (JREMO 8K)
https://youtu.be/B_Qn_kyBVXo



▶ Wing Body Truck (JREMO 6K)
https://youtu.be/_-7zdoBwhEs



▶ Self-Loader Truck (JREMO 6KFA)
<https://youtu.be/NN9sVFeXAWI>



▶ Smart Pest Control Machine (JREMO 4L)
<https://youtu.be/Dw2GZYN6LYL>



▶ Feed Truck (JREMO 10K)
<https://youtu.be/GKct8bjzLc>

WE MAKE REMOTE THAT IS AWESOME

JEICO is a byword
for the qualified remote controls.



JEICO®



J Building, 94-1, Choryang-ro, Dong-gu,
Busan, 48805, Korea
Tel. +82-51-818-7727 Fax. +82-51-804-2150
Email. jeicorp@kita.net
Web. www.jeico.com

© JEICO All rights reserved.
No part(s) of this work, nor of the information
laid down herein and/or derivable herefrom and/or
developed in connection herewith, may be reproduced
or used in any form or by any means. Legal action will be
taken against infringements.

This content is subject to change without notice for quality improvement.