




Otsuka Electronics Korea Co., Ltd.


COMPANY PROFILE
















Display evaluation






Imaging photometer

- Luminance uniformity evaluation
- High speed(1.5 sec. per frame) 300% of time reduction
- Large area measurement



Color filter spectral Inspection system

- FPD manufacturing process
- Fully automated pattern matching Color filter evaluation
- CF, OC, CS thickness measurement



Sheet resistance

- Contact / non-contact RS measurement
- Low / high resistance measurement
- Conductive materials and films
- Less than 1.5% CV (reproducibility)

6 of 14

▶ ▷ More products for display evaluation

Semiconductor evaluation





Si wafer thickness monitoring system

- · Real-time measurement
- Si wafer thicknessCMP, backside grinding
- Non-destructive



Microspectrophotometer OPTM(UV SR) series

From UV to NIR

- Non-contact
- Non-destructive High speed(less than 1 sec.)
- Automatic mapping



Spectro ellipsometer

FE-5000 series

- Ellipsometry measurement From UV to visible light

- Automatic angle adjusting mechanism Automatic mapping Thickness & optical constant(n, k) of ultra thin film

▶ ▷ More products for semiconductor evaluation

Film evaluation





Array spectrometer

MCPD series

- From UV to NIR
- Compact and light
- Wide integration time rangeStray light correction function



Retardation film & material evaluation system

RETS 100

- Polarization characteristics
- Retardation and axis of each layer Multi-layered sample
- Non-destructive



LCD cell gap measurement

- · Polarization optical system
- LCD cell gap
- Empty cell gap
- Compatible with small to large sizes



High speed retardation measurement

- High accuracy High speed(less than 0.1 sec.)
- Easier measurement with less steps
 Low retardation from 0nm

8 of 14

▶ ▷ More products for film evaluation

Automotive evaluation





Headlamp aimer

- Vehicle production factory
- All types of light source
- End of line / audit station
- Quick and repeatable anning
 Floor / gantry / portable types



Goniophotometric tester

RH600(near field)

- LiDAR intensity evaluation
- Various simulation results with a single measurement
- No darkroom required



Headlamp aiming photometric tester

- · Headlamp assembly line
- Various lamp types(multi LED headlamp) CAN / LIN interfaces
- CAN / LIN intertaces
 Customization available



Camera monitor system module tester

- Full automation system
- Test judgement pass or fail
 Camera and monitor instead of a mirror

9 of 14

▶ ▷ More products for automotive evaluation

Light measurement





Luminous intensity measurement system

- · Brightness of micro LED
- High sensitive spectrometer
- Precise measurement of ultra-low light



High sensitive spectroradiometer

- High speed(20msec. for continuous mode)
- Wide luminance range
 Polarization error reduction to < 1%



High speed near field goniophotometer

- Light distribution evaluation
- Various simulation results with a
- single measurement No darkroom required
- No sample-rotation required



Total luminous flux measurement system

HM/FM series

- Wide dynamic range
- Self absorption correction function
- Doubled sensitivity
- Shadow effect elimination

10 of 14

▶ ▷ More products for light measurement

Otsuka

Analytical



Multi-sample nanoparticle size measurement system

nanoSAOLA

- Multiple samples(5ea) at one time
- High speed(1 min. for measurement)
 Temperature gradient function
- Compact and light
- Best with Autosampler



Quantum efficiency measurement system

OE-2000 series

- Various forms of samples
- Low stray light effect Accurate measurement of efficiency
- (re-excitation eliminating function)
- Easy cell loading / unloading



Particle size, zeta potential, molecular weight analyzer

ELSZ-2000 series

- · Zeta potential of solid sample measurable
- Concentrated / dilute samples
- Colored / black samples
- Temperature gradient function
- Melting point and phase transition point analysis



High sensitivity NIR quantum efficiency measurement system

- Singlet oxygen detectionPrecise measurement of ultra-low quantum efficiency Various forms of samples
- · Liquid-nitrogen-free cooling detector

11 of 14

▶ ▷ More products for analytical



