

貴下



제작 전문업체.



GM-E200



Graphite Master Machine

Series

Graphite Master Machine



GM-E200



GM-E260



Polishing Part



Electrostatic Part


Product Features

- Graphite Master Machine spread graphite uniformly on the surface of cable.
- DSING JET CONTROL: It can control the amount of spreading according to line velocity.
- Heighten spreading quality using electrostatic method with electrical precipitator
- Adopt injector spreading method of 2 stage rider structure for spraying graphite.
- 2 Circulation filter and shatter proof filter are attached

Specifications



MODEL	GM-E200	GM-E260
Type	Static Deposition Method Graphite Spreading All In One	
Wire Size	150mm (Max)	210mm (Max)
Fault Alarm	Blower, Electrostatic, Powder Low	
Center Height	950~1150 mm	
Compressure Air Supply	4Kgf/cm ²	
Powder Anti-scattering device	Circulation & Ring blower	
Heater	1.5KW Plate Heater	
Size	760×1750×1015	
Static Voltage	0~50KVDC Manual Mode	
Power Supply	220V 50/60HZ 1Phase 3KW	

Dimension



GM-E200

GM-E260



NO.	NAME	SIZE	MATERIAL	QTY	REMARKS
DRAWING	DESIGN	CHECKED	APPROVED	SCALE	DATE
H. M. S	J. J. K			N/S	2015.09.
TITLE					
GRAPHITE MASTER MACHINE					
SMEM INSTRUMENT					
				DWG NO	003