



POSITRONIC PRODUCT LINE CARD



PEI-GENESIS AND POSITRONIC | DELIVERING VALUE-ADDED HARSH ENVIRONMENT CONNECTOR SOLUTIONS

PEI-Genesis is a global distributor for the Positronic product portfolio, delivering value-added connector assembly services for a variety of harsh environment applications including space-grade technology, automotive, electric vehicle (EV), military, aerospace, and more. Our portfolio includes D-Subminiature (High-Density, Combo-D, Mil-Spec), Power & Hybrid, Rectangular, and Circular connector solutions.

Contact a PEI-Genesis expert to receive industry leading engineering and technical support to help with custom designs to meet your application requirements.





Help prevent unwanted wear

during testing or act as gender

Feedthroughs for vacuum

changers.

applications.

Standard Density



Standard density D-Subs with size 20 machined contacts. Available in Mil- Spec. Series: SD, MD, RD, HSC, SND

Combo-D



D-SUB CONNECTORS

RECTANGULAR CONNECTORS

POWER & HYBRID CONNECTORS

Mixed density D-Subs to mix power, signal, coax, high voltage and fiber optic.

IP67 Waterproof



For applications requiring IP65/IP67 waterproofing characteristics.

Rack & Panel



Robust connectors for rack & panel applications.

Mini-Rectangular



High density connectors for rack & panel or board-to-board applications.

Slim Power

Low-profile, stackable power connector.

Power Connection System



Versatile power connectors utilizing size 16 contacts.

Dragonfly



An economical, miniature power/signal connector family.

ScorpionTM



The most versatile power/signal connectors on the market.

Goldfish



A blind mating, low-profile power/signal connector with many options.

High-Density



High density D-Subs with size 22 machine contacts. Available in Mil-Spec.

MACH-D



High performance D-Subs connector for use in harsh environments.

Dual Port (Stacked)



Stacked right angle D-Subs to save panel and board space.

Circle Hex



Circular hex connectors for legacy avionics applications.



contact.

platforms.

Quarter-turn, a metal high- reliability circular connector for power and signal use including GbE.

Baby King Cobra

An extreme power connector

Plug-in power interface for

The PICMG 3.0 AdvancedTCA

Zone 1 connector of choice.

CompactPCI and related

capable of up to 200 amps per

Quarter-turn, economical circular connectors.



Infinity

Stellar blind mating, mixed density connector with robust housing.

Safety Shroud



Shrouded, touch-safe power connectors.

Autoshunt



An innovative alternative to CT shorting blocks.

All products within this catalog are subject to regional availability and pricing. For the best support please contact sales@peigenesis.com.

WWW.PEIGENESIS.COM 866.734.9111 SALES@PEIGENESIS.COM

CIRCULAR CONNECTORS

Great Golden

Compact Power

AdvancedTCA

6:000

Talon Mini



Adapter/Saver

Hermetic

Front Runner



Size 11 and size 19 composite circular connectors.



D-SUBMINIATURE CONNECTORS - TECHNICAL SPECS

	#22 Contacts	#20 Contacts	#16 Contacts	#8 Contacts	M24308 / M39029	Ideal Use
Standard Density (Series: SD, MD, ED, RD, HDC, SND)		х			х	INDUSTRIAL, MIL/AERO & SPACEFLIGHT
High Density (Series: ODD, DD, PCDD, SDD	х				x	INDUSTRIAL, MIL/AERO & SPACEFLIGHT
Combo-D (Series: CBC, CBD, CBM, CBCD, CBDD, CBF, SCBC, SCBM, SCBCD, SCBDD,	х	х	х	х		POWER, SIGNAL, COAX, HIGH VOLTAGE, FIBER APPLICATIONS
Waterproof (Series: WD, WDD, EVD)	x	х				IP65/IP67 REQUIREMENTS
Dual Port (Stacked) (Series: DPB, DDB, XDB)	x	х		х		MAXIMIZING PCB SPACE
Adapter/Saver (Series: AD, HAD, DAD, SAD, SAD)	x	х		x		GENDER CHANGING OR CONNECTOR SAVING
Hermetic (Series: SXAVAC, SAVAC, HIVAC)	х	х	х	х		HERMETIC SEALING
MACH-D (Series: MCD, MCDD, MCBX)	х	х	х	х	x	MACHINE SHELLED FOR ULTRA PERFORMANCE

Positronic

APPLICATIONS

	Technology	Spaceflight	Military	Aerospace / Defense	Computing & Power Supplies	Rail & Mass Transit	Oil, Gas & Energy	Medical	Off- Highway	Industrial	Test & Instrumentation
Standard Density		х	х	x		Х	x	х	х	х	x
High Density		Х	x	х		х	x	x	x	х	x
Combo-D	x	х	х	x	х	Х	x	х		х	x
Waterproof			х	x		х	x	х	х	х	
Dual Port										х	x
Adapter/ Saver				x						х	x
Hermetic		х	х	х							x
MACH-D		х	x	х							





RECTANGULAR CONNECTORS - TECHNICAL SPECS

	#22 Contacts	#20 Contacts	#16 Contacts	M24308 / M39029	Stackable	Ideal Use
Rugged Rack & Panel (Series: GMCT, GAP, GAPL)		х	х	х		ROBUST RACK & PANEL APPLICATIONS
Mini-Rectangular (Series: SGMC, SGM, SMPL)	x			x		HIGH DENSITY R&P OR BOARD - BOARD APPLICATIONS
Slim Power (Series: FD, GFPL)		х			х	LOW PROFILE STACKABLE POWER

APPLICATIONS

	Technology	Military	Aerospace / Defense	Rail & Mass Transit	Oil, Gas & Energy	Medical	Industrial	Test & Instrumentation
Rugged Rack & Panel		Х	х	х	х		х	x
Mini-Rectangular	х	х	x	х	x	Х	x	х
Slim Power		Х	х		х	х	х	

CIRCULAR CONNECTORS - TECHNICAL SPECS

	Power	Signal	Size	Shell Material	Coupling Nut
Talon Mini (Series: TB)	х	х	Small - Medium	Aluminum	1⁄4 Turn
Baby King Cobra (Series: BKC)		x	Small - Medium	Plastic	1⁄4 Turn
Front Runner (Series: FR)	х	х	Medium - Large	Plastic	Thread
Circle Hex (Series: GH, MGH)		х	Small - Medium	Plastic	Optional

APPLICATIONS

	Technology	Military	Aerospace / Defense	Rail & Mass Transit	Oil, Gas & Energy	Medical	Off- Highway	Industrial	Automotive & EV	Consumer
Talon Mini	х	х	х	х		х	х	х		
Baby King Cobra						х	х	х	х	х
Front Runner						х	х	х		
Circle Hex		х	x		х	х	х	х		





POWER & HYBRID CONNECTORS - TECHNICAL SPECS

	Power Only	Power & Signal	Blind Mating	Size	Ideal Use
Scorpion (Series: SP, LSP)	х	Х	х	Small – Large	UNIQUE POWER & SIGNAL
Goldfish (Series: GFSH)		х	х	Small – Medium	POWER SUPPLY & CONTROL
Dragonfly (Series: DF)	х	Х		Small	COST SENSITIVE POWER & SIGNAL
Power Connection System (Series: PLA, PLB, PLC)	x		х	Small – Medium	COST SENSITIVE POWER HUNGRY APPLICATIONS
Great Golden (Series; GG)	x	Х	Х	Large	HD, EXTREME POWER & SIGNAL CONTROL
Compact Power (Series: PCIH, PCIC, PCIB, PCIM, PCIA)		x		Small – Large	POWER SUPPLY & CONTROL, COMPACT PCI SYSTEMS
AdvancedTCA (Series: VBP)		х	х	Small	ATCA SYSTEMS
Infinity (Series: MMIP, MIP, IP)	х	х	х	Medium – Large	HD POWER & SIGNAL
Safety Shroud (Series: PLS)	х			Medium	TOUCH SAFE, HIGH VOLTAGE APPLICATIONS
Autoshunt (Series: DFS, PLZ)	x			Medium	AUTO SHUNTING MULTIPLE CIRCUITS

APPLICATIONS

	Technology	Military	Aerospace / Defense	Computing & Power Supplies	Rail & Mass Transit	Oil, Gas & Energy	Medical	Off- Highway	Industrial	Test & Instrumen- tation	Automotive & EV
Scorpion	x		Х	x					х	х	
Goldfish				Х					х		
Dragonfly				Х					х		х
Power Connection System	х			х				х	Х		х
Great Golden		х	Х	x	х	х	х	х	Х	х	х
Compact Power	х			х					x	х	
AdvancedTCA	x			x					х	х	
Infinity	х			Х					Х	х	
Safety Shroud				Х					х	х	х
Autoshunt				х					х		



Corporate Headquarters, Philadelphia, PA



North American Production Facility, South Bend, IN

European Headquarters & Production Facility, Southampton, UK



Production Facility, Zhuhai, China



PEI-Genesis has sales offices throughout the Americas, Europe and Asia. Visit www.peigenesis.com, call +1 800.675.1214 (North America), +44 (0) 23 8062 1260 (Europe), +86 756 7683 088 (Asia), +1 631.475.5050 (Rest of World), or email: sales@peigenesis.com.

www.peigenesis.com | www.peigenesis.cn

PEI_POSI-B Rev. 02112022