36x Digital Telescope supporting Auto Focus















Features

- Advanced digital telescope with superior performance and fun
- Equipped with 36x optical zoom lens
- Supports Auto-Focus which does not need additional focus adjustment
- Easy Capturing the desired object by just pushing Tele/Wide buttons
- Easy monitoring through built-in 10.1" TFT LCD monitor (Option: High brightness LCD for Outdoor)
- Excellent low-light performance even in the environment where visual identification is difficult
- Interface to large monitor via HD-SDI output
- RS-485 communication(Remote Control, Management)
- IP67 dustproof and waterpoof

Installation Places



Observation deck of tourist attractions



Zoo and Arboretum



Airport, Port monitoring



Indoor observation deck of skyscraper



Sports stadium




Bird watching

Specifications
Optical 36x + Max. Digital 32x
1/2", 2Megapixel CMOS image sensor
f = 6.0mm ~ 216.0mm
F1.5(Wide) ~ F4.8 (Tele)
63.31° (D), 58.5° (H), 33.63° (V)
2.44° (D), 2.12° (H), 1.19° (V)
Auto Focus
10.1" TFT LCD Monitor (IPS panel)
WXGA, 1280 x 800
Full-HD, 1920 x 1080 HD-SDI Output
-30° ~ 15°
Approx. 140° (Adjustable)
1370mm (Up to center of monitor)
380 (W) x 220 (H) x 430 (D) mm
Approx. 13Kg (Except Pole)
LCD : DC12V 2.5A
High brightness LCD : DC12V 3A
Max. 35W (Fan & Heater)
Aluminum (IK10)
-40C°~ 60C°, 0%~90%RH
126 (ø) x 1200 (H)

^{*} This specification is subject to change without notice for product improvement

Dimensions





Unit: mm