





Electric tow tractor **EZS 7280**


Towing capacity: 28000 kg

EZS 7280



EZS 7280

Pulling ability



VDI table

Stand-on: 02/2023

Characteristic	1.1	Manufacturer (abbreviated description)		Jungheinrich	
	1.2	Manufacturer's type designation		EZS 7280	
	1.3	Drive		Electric	
	1.4	Operation		Seat	
	1.5.3	Towing capacity	Q kg	28000	
	1.7	Rated drawbar pull	N	5600	
	1.9	Wheelbase	y mm	1465	1755
Weights	2.1.1	Service weight (incl. battery)	kg	4088	4796
	2.3	Axle load unladen front/rear	kg	2100 / 1988	2446 / 2350
Wheels/suspension system	3.1	Tyres		Air	
	3.2	Tyre size, front		6.00 R9	
	3.3	Tyre size, rear		7.00 R12	
	3.5	Wheels, number front/back (x=driven)		2 / 2 x	
	3.6	Tread width, front	b ₁₀ mm	1070	
	3.7	Tread width, rear	b ₁₁ mm	1070	
Basic dimensions	4.7	Height of overhead guard (cab)	h ₆ mm	1970	
	4.8	Seat height/stand height	h ₇ mm	880	
	4.12	Coupling height	h ₁₀ mm	240	
	4.12.1	2. Coupling height	mm	320	
	4.12.2	3. Coupling height	mm	400	
	4.13	Loading height, unladen	mm	1000	
	4.16	Loading area length	l ₃ mm	1536	1826
	4.17	Overhang length	mm	610	
	4.18	Loading area width	b ₉ mm	1090	
	4.19	Overall length	l ₁ mm	3045	3335
	4.21.1	Overall width	b ₁ mm	1300	
	4.32	Ground clearance centre of wheelbase	m ₂ mm	150	
	4.35	Turning radius	W _a mm	2847	3178
	4.36	Smallest pivot point distance	b ₁₃ mm	935	1095
Performance data	5.1	Travel speed laden/unladen	km/h	12 / 25	
	5.1.1	Reverse travel speed with/without load	km/h	10 / 10	
	5.5	Drawbar pull laden	N	5600	
	5.6	Max. drawbar pull laden/unladen	N	19000 / 19000	
	5.10	Service brake		hydraulic/electric	
E-motor/ Electronics	6.1	Drive motor, performance S2 60 min	kW	20	
	6.4	Battery voltage/nominal capacity	V / Ah	80 / 620	80 / 930
	6.5	Battery weight	kg	1560	2180
Other	8.1	Type of drive control		3-phase AC technology	
	10.7	Sound level as per EN12053, operator's ear	dB (A)	60	

- This data sheet according to VDI guideline 2198 only states the technical values of the standard truck. Different tyres, other masts, additional equipment etc. may result in different values.

The German production facilities in
Norderstedt, Moosburg and Landsberg
are certified as well as our Genuine Parts
Center in Kaltenkirchen.

ISO 9001
ISO 14001

Jungheinrich fork lift trucks meet
European safety requirements.



 **JUNGHEINRICH**