



Agricultural Belt

Wrapped Belt

Raw Edge Cogged Belt

Agricultural

DRB agricultural belt are optimized in the quality required on such sophisticated farm machines as combines, transplanting and cultivating machines, whose high performance and compact size require extremely high reverse flexibility and shock from heat or sudden load.

DRB agricultural belt provide the highest performance under such tough conditions as they are specially designed with raw materials of outstanding flexibility, resistance against heat and dynamic elongation.



DONGIL SUPERSTAR (RED)

Agricultural V-belt, made of synthetic rubber with superior resistance against heat and climate changes, provides outstanding performance in reverse bending operation as the cover fabric is reinforced with specially laminated fabrics.

DONGIL SUPERSTAR (GREEN)

DRB Green agricultural belt are specially structured by powerful aramid cord based on the outstanding performance of RED belt, it provides the excellent tensile strength and low shrinkages at the shock load. It is ideal for driving, harvesting, transmission, cutting, hydrostatic transmission of combines.

Comparison of Agricultural Belt Performance

Belt Category	Flexibility	Strength	Elongation Rate	Applications
Classical	Good	Good	Good	Power plough, thresher
RED	Excellent	Good	Good	Binder, combine
GREEN	Excellent	Excellent	Excellent	Planter, combine


Wrapped Belt



Features

- Highly flexible and thus suitable for conditions requiring high flexibility and a small pulley diameter.
- Assures uniform performance over the entire belt length for the entire belt life.
- Resistant to heat, oil and abrasion.

Nominal Dimension




LA Section

Belt No.	Grade	List Price	Wt.(Approx)kg	Outside Length(mm)
LA 29(inch)	RED	4.68	0.085	762
LA 32	RED	4.86	0.087	838
LA 33	RED	4.93	0.090	863
LA 36	RED	5.11	0.098	940
LA 37	RED	5.18	0.101	965
LA 38	RED	5.24	0.111	990
LA 40	RED	5.36	0.117	1041
LA 41	RED	5.43	0.120	1067
LA 44	RED	5.62	0.129	1143
LA 53	RED	6.18	0.155	1371
LA 57	RED	6.43	0.167	1473
LA 59	RED	6.56	0.173	1524
LA 65	RED	6.94	0.191	1676

Belt No.	Grade	List Price	Wt.(Approx)kg	Outside Length(mm)
LA 66	RED	7.00	0.193	1702
LA 67	RED	7.07	0.196	1727
LA 74	RED	7.51	0.217	1905
LA 88	RED	8.40	0.258	2260
LA 89	RED	8.47	0.261	2286
LA 27	GREEN	6.79	0.079	711
LA 29	GREEN	6.91	0.085	762
LA 37	GREEN	7.46	0.108	965
LA 43	GREEN	7.96	0.126	1117
LA 44	GREEN	8.04	0.129	1143
LA 45	GREEN	8.14	0.132	1168
LA 59	GREEN	9.59	0.173	1524

Nominal Dimension



LB Section


Belt No.	Grade	List Price	Wt.(Approx)kg	Outside Length(mm)
LB 23(inch)	RED	6.87	0.100	614
LB 25	RED	6.95	0.109	665
LB 26	RED	6.99	0.113	690
LB 28	RED	7.08	0.122	741
LB 31	RED	7.22	0.135	817
LB 32	RED	7.27	0.139	843
LB 33	RED	7.32	0.144	868
LB 35	RED	7.43	0.152	919
LB 36	RED	7.49	0.157	944
LB 37	RED	7.55	0.161	970
LB 38	RED	7.61	0.165	995
LB 39	RED	7.67	0.170	1020
LB 40	RED	7.74	0.174	1046
LB 41	RED	7.80	0.178	1071
LB 42	RED	7.87	0.183	1097
LB 43	RED	7.94	0.187	1122
LB 44	RED	8.02	0.191	1147
LB 45	RED	8.09	0.196	1173

Belt No.	Grade	List Price	Wt.(Approx)kg	Outside Length(mm)
LB 46	RED	8.17	0.200	1198
LB 46.5	RED	8.20	0.202	1211
LB 47	RED	8.24	0.204	1224
LB 48	RED	8.32	0.209	1249
LB 49	RED	8.40	0.213	1274
LB 50	RED	8.49	0.217	1300
LB 51	RED	8.57	0.222	1325
LB 52	RED	8.66	0.226	1351
LB 52.5	RED	8.70	0.228	1363
LB 53	RED	8.74	0.231	1376
LB 53.5	RED	8.79	0.233	1389
LB 54	RED	8.83	0.235	1401
LB 55	RED	8.93	0.239	1427
LB 56	RED	9.02	0.244	1452
LB 57	RED	9.11	0.248	1478
LB 58	RED	9.21	0.252	1503
LB 59	RED	9.31	0.257	1528
LB 60	RED	9.41	0.261	1554

Belt No.	Grade	List Price	Wt.(Approx)kg	Outside Length(mm)
LB 61	RED	9.51	0.265	1579
LB 62	RED	9.62	0.269	1605
LB 68	RED	10.28	0.296	1757
LB 71	RED	10.63	0.309	1833
LB 72	RED	10.75	0.313	1859
LB 77	RED	11.39	0.335	1986
LB 79	RED	11.65	0.343	2036
LB 86	RED	12.64	0.374	2214
LB 98	RED	14.53	0.426	2519
LB 101	RED	15.05	0.439	2595
LB 106	RED	15.94	0.460	2722
LB 110	RED	16.68	0.478	2824
LB 113	RED	17.26	0.491	2900
LB 125	RED	19.73	0.544	3205
LB 126	RED	19.95	0.548	3230
LB 129	RED	20.61	0.561	3306
LB 32	GREEN	12.63	0.133	843
LB 33	GREEN	12.87	0.137	868
LB 34	GREEN	13.10	0.141	893
LB 38	GREEN	14.05	0.157	995
LB 39	GREEN	14.29	0.162	1020
LB 41	GREEN	14.77	0.170	1071
LB 42	GREEN	15.00	0.174	1097
LB 43	GREEN	15.24	0.178	1122
LB 44	GREEN	15.48	0.182	1147

Belt No.	Grade	List Price	Wt.(Approx)kg	Outside Length(mm)
LB 46	GREEN	15.97	0.191	1198
LB 48	GREEN	16.45	0.199	1249
LB 49	GREEN	16.69	0.203	1274
LB 49.5	GREEN	16.81	0.205	1287
LB 50	GREEN	16.93	0.207	1300
LB 52	GREEN	17.42	0.215	1351
LB 53	GREEN	17.66	0.220	1376
LB 54	GREEN	17.91	0.224	1401
LB 55	GREEN	18.15	0.228	1427
LB 56	GREEN	18.40	0.232	1452
LB 57	GREEN	18.64	0.236	1478
LB 60	GREEN	19.38	0.249	1554
LB 61	GREEN	19.63	0.253	1579
LB 62	GREEN	19.87	0.257	1605
LB 63	GREEN	20.12	0.261	1630
LB 65	GREEN	20.62	0.269	1681
LB 66	GREEN	20.87	0.273	1706
LB 67	GREEN	21.12	0.278	1732
LB 68	GREEN	21.37	0.282	1757
LB 69	GREEN	21.62	0.286	1782
LB 94	GREEN	28.02	0.389	2417
LB 96	GREEN	28.54	0.398	2468
LB 97	GREEN	28.80	0.402	2494
LB 106	GREEN	31.19	0.440	2722
LB 108	GREEN	31.72	0.448	2773

Nominal Dimension



LC Section


Belt No.	Grade	List Price	Wt.(Approx)kg	Outside Length(mm)
LC 43(inch)	RED	12.43	0.293	1127
LC 44	RED	12.57	0.300	1152
LC 45	RED	12.71	0.307	1178
LC 51	RED	13.56	0.348	1330
LC 52	RED	13.70	0.354	1355
LC 59	RED	14.73	0.402	1533
LC 60	RED	14.88	0.409	1559
LC 63	RED	15.33	0.429	1635
LC 65	RED	15.63	0.443	1686
LC 66	RED	15.78	0.450	1711

Belt No.	Grade	List Price	Wt.(Approx)kg	Outside Length(mm)
LC 68	RED	16.09	0.464	1762
LC 69	RED	16.24	0.470	1787
LC 71	RED	16.55	0.484	1838
LC 72	RED	16.71	0.491	1863
LC 74	RED	17.02	0.504	1914
LC 75	RED	17.18	0.511	1940
LC 76	RED	17.34	0.518	1965
LC 78	RED	17.66	0.532	2016
LC 79	RED	17.82	0.538	2041
LC 81	RED	18.14	0.552	2092

Belt No.	Grade	List Price	Wt.(Approx)kg	Outside Length(mm)
LC 83	RED	18.47	0.566	2143
LC 84	RED	18.63	0.573	2168
LC 87	RED	19.13	0.593	2244
LC 94	RED	20.31	0.641	2422
LC 107	RED	22.57	0.730	2752
LC 118	RED	24.58	0.804	3032
LC 124	RED	25.70	0.845	3184
LC 126	RED	26.08	0.859	3235
LC 133	RED	27.43	0.906	3413
LC 135	RED	27.82	0.920	3464
LC 136	RED	28.01	0.927	3489
LC 145	RED	29.81	0.989	3718

Belt No.	Grade	List Price	Wt.(Approx)kg	Outside Length(mm)
LC 151	RED	31.04	1.030	3870
LC 45	GREEN	25.38	0.297	1178
LC 53	GREEN	28.03	0.350	1381
LC 54	GREEN	28.37	0.356	1406
LC 62	GREEN	31.08	0.409	1609
LC 65	GREEN	32.11	0.429	1686
LC 81	GREEN	37.74	0.534	2092
LC 99	GREEN	44.33	0.653	2549
LC 104	GREEN	46.21	0.686	2676
LC 107	GREEN	47.35	0.706	2752
LC 145	GREEN	62.43	0.957	3718
LC 155	GREEN	66.60	1.023	3972


Raw Edge Cogged Belt



Features

- Highly flexible and thus suitable for conditions requiring high flexibility and a small pulley diameter.
- Assures uniform performance over the entire belt length for the entire belt life.
- Resistant to heat, oil and abrasion.

Nominal Dimension




LA Section

Belt No.	Grade	List Price	Wt.(Approx)kg	Outside Length(mm)
LA 26(inch)	RED	2.51	0.070	686
LA 28	RED	2.60	0.075	736
LA 29	RED	2.64	0.078	762
LA 30	RED	2.69	0.080	787
LA 32	RED	2.78	0.086	838
LA 36	RED	2.96	0.096	940
LA 38	RED	3.05	0.102	990
LA 38.5	RED	3.07	0.103	1003
LA 39	RED	3.10	0.104	1016
LA 41	RED	3.19	0.110	1067
LA 41.5	RED	3.21	0.111	1079

Belt No.	Grade	List Price	Wt.(Approx)kg	Outside Length(mm)
LA 42	RED	3.23	0.113	1092
LA 43	RED	3.28	0.115	1117
LA 44	RED	3.32	0.118	1143
LA 44.5	RED	3.35	0.119	1155
LA 53	RED	3.74	0.142	1371
LA 55	RED	3.84	0.147	1422
LA 62	RED	4.17	0.166	1600
LA 25	Green	4.79	0.067	660
LA 26.2	Green	4.83	0.071	691
LA 27	Green	4.86	0.073	711
LA 33	Green	5.40	0.088	863

Nominal Dimension



LB Section


Belt No.	Grade	List Price	Wt.(Approx)kg	Outside Length(mm)
LB 27(inch)	RED	3.45	0.101	716
LB 29	RED	3.63	0.109	766
LB 30	RED	3.72	0.113	792
LB 31	RED	3.81	0.116	817
LB 33	RED	3.98	0.124	868
LB 34	RED	4.07	0.128	893
LB 35	RED	4.16	0.131	919
LB 36	RED	4.25	0.135	944
LB 37	RED	4.33	0.139	970
LB 38	RED	4.42	0.143	995

Belt No.	Grade	List Price	Wt.(Approx)kg	Outside Length(mm)
LB 39	RED	4.51	0.146	1020
LB 40	RED	4.59	0.150	1046
LB 41	RED	4.68	0.154	1071
LB 41.5	RED	4.72	0.156	1084
LB 42	RED	4.77	0.158	1097
LB 43	RED	4.85	0.161	1122
LB 44	RED	4.94	0.165	1147
LB 45	RED	5.02	0.169	1173
LB 45.5	RED	5.06	0.171	1186
LB 46	RED	5.11	0.173	1198

Belt No.	Grade	List Price	Wt.(Approx)kg	Outside Length(mm)
LB 47	RED	5.19	0.176	1224
LB 48	RED	5.27	0.180	1249
LB 49	RED	5.36	0.184	1274
LB 49.5	RED	5.40	0.186	1287
LB 50	RED	5.44	0.188	1300
LB 50.5	RED	5.48	0.190	1313
LB 51	RED	5.53	0.191	1325
LB 52	RED	5.61	0.195	1351
LB 54	RED	5.77	0.203	1401
LB 55	RED	5.86	0.206	1427
LB 56	RED	5.94	0.210	1452
LB 57	RED	6.02	0.214	1478

Belt No.	Grade	List Price	Wt.(Approx)kg	Outside Length(mm)
LB 58	RED	6.10	0.218	1503
LB 61	RED	6.35	0.229	1579
LB 62	RED	6.43	0.233	1605
LB 65	RED	6.67	0.244	1681
LB 67	RED	6.82	0.251	1732
LB 68	RED	6.90	0.255	1757
LB 69	RED	6.98	0.259	1782
LB 88	RED	8.42	0.330	2265
LB 92	RED	8.71	0.345	2367
LB 94	RED	8.85	0.353	2417
LB 44.5	GREEN	8.16	0.167	1160
LB 46.5	GREEN	8.26	0.175	1211

Nominal Dimension



LC Section

Belt No.	Grade	List Price	Wt.(Approx)kg	Outside Length(mm)
LC 24(inch)	RED	4.71	0.143	644
LC 25.5	RED	4.87	0.152	682
LC 35	RED	5.85	0.209	924
LC 36	RED	5.96	0.215	949
LC 38	RED	6.17	0.227	1000
LC 38.5	RED	6.22	0.230	1012
LC 39	RED	6.27	0.233	1025
LC 41.5	RED	6.53	0.248	1089
LC 42	RED	6.59	0.251	1101
LC 43	RED	6.69	0.256	1127
LC 45.5	RED	6.95	0.271	1190
LC 48	RED	7.22	0.286	1254
LC 48.5	RED	7.27	0.289	1266
LC 52	RED	7.64	0.310	1355

Belt No.	Grade	List Price	Wt.(Approx)kg	Outside Length(mm)
LC 54	RED	7.86	0.322	1406
LC 55	RED	7.96	0.328	1432
LC 56	RED	8.07	0.334	1457
LC 57	RED	8.18	0.340	1482
LC 58	RED	8.28	0.346	1508
LC 58.5	RED	8.34	0.349	1520
LC 59	RED	8.39	0.352	1533
LC 60	RED	8.50	0.358	1559
LC 62	RED	8.71	0.370	1609
LC 69	RED	9.47	0.412	1787
LC 79	RED	10.56	0.471	2041
LC 37	GREEN	11.79	0.221	974
LC 49.5	GREEN	15.06	0.295	1292

