




Electric tow tractor


EZS 130

Towing capacity: 3000 kg

EZS 130



EZS 130



VDI table

Stand-on: 02/2023

Characteristic	1.1	Manufacturer (abbreviated description)		Jungheinrich
	1.2	Manufacturer's type designation		EZS 130
	1.3	Drive		Electric
	1.4	Operation		Stand-on
	1.5.3	Towing capacity	Q kg	3000
	1.7	Rated drawbar pull	N	600
	1.9	Wheelbase	y mm	930
Weights	2.1.1	Service weight (incl. battery)	kg	525
	2.3	Axle load unladen front/rear	kg	320 / 205
Wheels/suspension system	3.1	Tyres		Polyurethane / Super-elastic
	3.2	Tyre size, front		ø230 x 78
	3.3	Tyre size, rear		ø250 x 80
	3.5	Wheels, number front/back (x=driven)		1 x / 2
	3.7	Tread width, rear	b ₁₁ mm	485
Basic dimensions	4.8	Seat height/stand height	h ₇ mm	122
	4.12	Coupling height	h ₁₀ mm	158
	4.19	Overall length	l ₁ mm	1315
	4.21.1	Overall width	b ₁ mm	600
	4.32	Ground clearance centre of wheelbase	m ₂ mm	50
	4.35	Turning radius	W _a mm	1126
Performance data	5.1	Travel speed laden/unladen	km/h	9 / 10.5
	5.1.1	Reverse travel speed with/without load	km/h	4 / 4
	5.5	Drawbar pull laden	N	600
	5.6	Max. drawbar pull laden/unladen	N	2000 / 2000
	5.10	Service brake		electromagnetic/generative
E-motor/ Electronics	6.1	Drive motor, performance S2 60 min	kW	2.8
	6.4	Battery voltage/nominal capacity	V / Ah	24 / 200
	6.5	Battery weight	kg	185
	6.6.1	Energy consumption according to EN cycle	kWh/h	0.75
	6.6.2	CO2 equivalent as per EN 16796	kg/h	0.4
Other	8.1	Type of drive control		AC speedCONTROL
	10.5	Steering version		electric
	10.7	Sound level as per EN12053, operator's ear	dB (A)	57

- This data sheet according to VDI guideline 2198 only states the technical values of the standard truck. Different tyres, other masts, additional equipment etc. may result in different values.

The German production facilities in
Norderstedt, Moosburg and Landsberg
are certified as well as our Genuine Parts
Center in Kaltenkirchen.

ISO 9001
ISO 14001

Jungheinrich fork lift trucks meet
European safety requirements.



 **JUNGHEINRICH**