


LIFT CHECK VALVE 600#

1/2", 3/4", 1", 1-1/2", 2"




BOLTED BONNET, Outside Screw & Yoke, Socket welding
ASME B16.34 – Pressure Temperature Ratings
ASME B16.11 – Dimension Of Socket Welding Ends

VALVE DESCRIPTION AND DIMENSION							
VALVE SIZE	PRESSURE CLASS	L	H	d	B	C	WEIGHT (kg)
1/2 in.	600	80	55	10	21.70–22.20	13	1.3
3/4 in.	600	88	55	13	27.05–27.55	13	1.4
1 in.	600	108	70	18	33.80–34.30	13	2.4
1.1/2 in.	600	152	91	29	48.65–49.15	13	4.9
2 in.	600	172	105	37	61.10–61.60	16	7.6

CHECK VALVE 1500#

1/2", 3/4", 1", 1-1/2", 2"




SEAL WELDED BONNET, Outside Screw & Yoke, Socket welding
ASME B16.34 – Pressure Temperature Ratings
ASME B16.11 – Dimension Of Socket Welding Ends

VALVE DESCRIPTION AND DIMENSION							
VALVE SIZE	PRESSURE CLASS	L	H	d	B	C	WEIGHT (kg)
1/2 in.	1500	105	74	12	21.70–22.20	10	2.2
3/4 in.	1500	120	88	15	27.05–27.55	13	3.3
1 in.	1500	140	97	20	33.80–34.30	13	5.0
1.1/2 in.	1500	200	140	32	48.65–49.15	13	12.0
2 in.	1500	240	153	38	61.10–61.60	16	21.0

CHECK VALVE 2500#

1/2", 3/4", 1", 1-1/2", 2"



SEAL WELDED BONNET, Outside Screw & Yoke, Socket welding
ASME B16.34 – Pressure Temperature Ratings
ASME B16.11 – Dimension Of Socket Welding Ends

VALVE DESCRIPTION AND DIMENSION							
VALVE SIZE	PRESSURE CLASS	L	H	d	B	C	WEIGHT (kg)
1/2 in.	2500	105	83	10	21.70–22.20	10	3.2
3/4 in.	2500	120	92	13	27.05–27.55	13	4.3
1 in.	2500	140	101	18	33.80–34.30	13	7.0
1.1/2 in.	2500	200	148	28	48.65–49.15	13	18.0
2 in.	2500	240	160	35	61.10–61.60	16	28.0