



GLOBE VALVE 150#

2-1/2", 3", 4", 6, 8"



GLOBE VALVE 150#

10", 12" ~




BOLTED BONNET, Outside Screw & Yoke, Butt welding
 ASME B16.34 – Pressure Temperature Ratings
 ASME B16.10 – Face-Face & End-End Dimensions
 ASME B16.25 – Dimension Of Butt Welding Ends

Dimensions-PressureClass150											
size	mm	65	80	100	125	150	200	250	300	350	400
	in	2 1/2	3	4	5	6	8	10	12	14	16
End-to-End, L	mm	216	241	292	356	406	495	622	698	787	914
Center-to-Top-Open, H	mm	410	425	470	585	620	795	890	1070	1320	1380
Handwheel Diameter, W	mm	200	260	300	360	360	510	560	1000	1000	1000
Weight Butt Welding	Kg	30	40	60	80	100	200	270	470	570	630


GLOBE VALVE 300#

2-1/2", 3", 4", 6"



GLOBE VALVE 300#

8", 10" ~




BOLTED BONNET, Outside Screw & Yoke, Butt welding
 ASME B16.34 – Pressure Temperature Ratings
 ASME B16.10 – Face-Face & End-End Dimensions
 ASME B16.25 – Dimension Of Butt Welding Ends

Dimensions-PressureClass300											
size	mm	65	80	100	125	150	200	250	300	350	400
	in	2 1/2	3	4	5	6	8	10	12	14	16
End-to-End, L	mm	292	318	356	400	444	559	622	711	838	864
Center-to-Top-Open, H	mm	390	470	520	655	705	905	1030	1230	1500	1800
Handwheel Diameter, W	mm	200	260	300	410	460	610	800	900	900	900
Weight Butt Welding	Kg	30	40	65	100	130	260	400	610	670	880


GLOBE VALVE 600#

2-1/2", 3", 4"



GLOBE VALVE 600#

6", 8", 10", 12"~



PRESSURE SEAL BONNET, Outside Screw & Yoke, Butt welding

ASME B16.34 – Pressure Temperature Ratings


ASME B16.10 – Face-Face & End-End Dimensions

ASME B16.25 – Dimension Of Butt Welding Ends

Dimensions-PressureClass600											
size	mm	65	80	100	125	150	200	250	300	350	400
	in	2 1/2	3	4	5	6	8	10	12	14	16
End-to-End, L	mm	216	254	305	381	457	584	711	813	889	1092
Center-to-Top-Open, H	mm	590	750	830	1010	1150	1300	1570	1900	1800	1600
Handwheel Diameter, W	mm	300	410	510	610	700	900	1000	1000	1100	1100
WeightButtWelding	Kg	55	90	145	200	310	555	885	1000	1500	1950


GLOBE VALVE 900#

2-1/2", 3"



GLOBE VALVE 900#

4", 6", 8", 10", 12"~



PRESSURE SEAL BONNET, Outside Screw & Yoke, Butt welding

ASME B16.34 – Pressure Temperature Ratings


ASME B16.10 – Face-Face & End-End Dimensions

ASME B16.25 – Dimension Of Butt Welding Ends

Dimensions-Pressure Class 900										
size	mm	65	80	100	125	150	200	250	300	350
	in	2 1 2	3	4	5	6	8	10	12	14
End-to-End, L	mm	254	305	356	432	508	660	787	914	991
Center-to-Top-Open,H	mm	570	680	830	985	1140	1435	1610	1800	1600
Handwheel Diameter, W	mm	300	410	510	610	800	800	1000	1000	1100
Weight Butt Welding	Kg	79	84	180	285	430	905	1300	1800	2600


GLOBE VALVE 1500#

2-1/2", 3"



GLOBE VALVE 1500#

4", 6", 8", 10", 12"~



PRESSURE SEAL BONNET, Outside Screw & Yoke, Butt welding

ASME B16.34 – Pressure Temperature Ratings


ASME B16.10 – Face-Face & End-End Dimensions

ASME B16.25 – Dimension Of Butt Welding Ends

Dimensions-Pressure Class 1500									
size	mm	65	80	100	125	150	200	250	300
	in	2 1/2	3	4	5	6	8	10	12
End-to-End, L	mm	419	470	546	673	705	832	991	1130
Center-to-Top-Open, H	mm	730	835	925	1005	1260	1495	1520	1673
Handwheel Diameter, W	mm	410	510	560	610	800	900	900	1000
Weight Butt Welding	Kg	110	230	365	395	555	660	850	1300


GLOBE VALVE 2500#

2-1/2", 3"



GLOBE VALVE 2500#

4", 6", 8", 10"~



PRESSURE SEAL BONNET, Outside Screw & Yoke, Butt welding

ASME B16.34 – Pressure Temperature Ratings

ASME B16.10 – Face-Face & End-End Dimensions

ASME B16.25 – Dimension Of Butt Welding Ends

Dimensions-Pressure Class 2500								
size	mm	65	80	100	125	150	200	250
	in	2 1/2	3	4	5	6	8	10
End-to-End, L	mm	508	578	673	794	914	1022	1270
Center-to-Top-Open, H	mm	895	995	1200	1400	1500	1600	1800
Handwheel Diameter, W	mm	510	560	700	900	1000	1000	1100
Weight ButtWelding	Kg	305	380	490	510	710	1130	1400