





CHECK VALVE 150#

2-1/2", 3", 4"



CHECK VALVE 150#

6", 8", 10", 12" ~



BOLTED BONNET, Outside Screw & Yoke, Butt welding

ASME B16.34 – Pressure Temperature Ratings

ASME B16.10 – Face-Face & End-End Dimensions



ASME B16.25 – Dimension Of Butt Welding Ends

Dimensions-PressureClass150

size	mm	65	80	100	125	150	200	250	300	350	400	450	500	600	700	750
	in	2 1/2	3	4	5	6	8	10	12	14	16	18	20	24	28	30
End-to-End, L	mm	216	241	292	330	356	495	622	698	787	864	978	978	1295	1448	1524
Center-to-Top-Open, H	mm	160	170	185	195	230	290	315	365	390	420	460	525	580	948	938
Weight Butt Welding	Kg	20	25	40	50	60	130	180	280	380	480	640	750	1200	1600	2000



CHECK VALVE 300#

2-1/2", 3", 4"



CHECK VALVE 300#

6", 8", 10", 12" ~



BOLTED BONNET, Outside Screw & Yoke, Butt welding

ASME B16.34 – Pressure Temperature Ratings

ASME B16.10 – Face-Face & End-End Dimensions

ASME B16.25 – Dimension Of Butt Welding Ends

Dimensions-PressureClass300





size	mm	65	80	100	125	150	200	250	300	350	400	450	500	600	800
	in	2 1/2	3	4	5	6	8	10	12	14	16	18	20	24	32
End-to-End, L	mm	292	318	356	400	444	533	622	711	838	864	978	1016	1346	1676
Center-to-Top-Open, H	mm	155	170	195	210	220	305	325	385	400	430	460	505	565	1000
WeightButtWelding	Kg	25	30	50	60	75	140	220	320	380	590	720	780	1020	2600

CHECK VALVE 600#

2-1/2", 3", 4"

CHECK VALVE 600#

6", 8", 10", 12" ~



PRESSURE SEAL BONNET, Outside Screw & Yoke, Butt welding

ASME B16.34 – Pressure Temperature Ratings



ASME B16.10 – Face-Face & End-End Dimensions

ASME B16.25 – Dimension Of Butt Welding Ends

Dimensions-PressureClass600									
	mm	65	80	100	125	150	200	250	300
size	in	2 1/2	3	4	5	6	8	10	12
End-to-End, L	mm in	216	254	305	381	457	584	711	813
Center-to-Top-Open,H	mm	275	295	330	425	425	440	525	650
Weight	Kg	32	47	68	100	145	300	430	495



CHECK VALVE 900#

2-1/2", 3", 4"



CHECK VALVE 900#

6", 8", 10", 12" ~



PRESSURE SEAL BONNET, Outside Screw & Yoke, Butt welding

ASME B16.34 – Pressure Temperature Ratings

ASME B16.10 – Face-Face & End-End Dimensions



ASME B16.25 – Dimension Of Butt Welding Ends

Dimensions-Pressure Class 900

	mm	65	80	100	125	150	200	250	300	350	400	450
size	in	2 1/2	3	4	5	6	8	10	12	14	16	18
End-to-End, L	mm in	254	305	356	432	508	660	787	914	991	1092	1219
Center-to-Top-Open, H	mm	290	315	340	445	535	645	730	800	850	900	1000
Weight	Kg	53	58	105	180	250	435	630	710	970	1220	1450
Butt Welding	lb	117	128	231	397	551	959	1389	1565	2138	2690	3197



CHECK VALVE 1500#

2-1/2", 3", 4"



CHECK VALVE 1500#

6", 8", 10", 12" ~



PRESSURE SEAL BONNET, Outside Screw & Yoke, Butt welding

ASME B16.34 – Pressure Temperature Ratings

ASME B16.10 – Face-Face & End-End Dimensions



ASME B16.25 – Dimension Of Butt Welding Ends

Dimensions-PressureClass1500

size	mm	65	80	100	125	150	200	250	300	350	400	550
	in	2 1/2	3	4	5	6	8	10	12	14	16	22
End-to-End, L	mm	254	305	406	483	559	711	864	991	1067	1194	1473
Center-to-Top-Open, H	mm	265	315	365	445	420	515	565	685	875	980	1100
WeightButtWelding	Kg	37	47	84	120	190	285	450	660	935	1100	1600



CHECK VALVE 2500#

2-1/2", 3"



CHECK VALVE 2500#

4", 6", 8", 10", 12" ~



PRESSURE SEAL BONNET, Outside Screw & Yoke, Butt welding

ASME B16.34 – Pressure Temperature Ratings

ASME B16.10 – Face-Face & End-End Dimensions

ASME B16.25 – Dimension Of Butt Welding Ends

Dimensions-Pressure Class 2500

size	mm	65	80	100	125	150	200	250	300	350	400	450	500	600
	in	2 1/2	3	4	5	6	8	10	12	14	16	18	20	24
End-to-End, L	mm	330	368	457	533	610	762	914	1041	1118	1245	1397	1473	1626
Center-to-Top-Open, H	mm	265	285	405	435	480	585	645	750	820	900	950	1000	1300
WeightButtWelding	Kg	53	74	115	135	190	400	765	1175	1570	1800	1950	2100	2500