



Specialty Belt

Double V-Belt

Round Belt


Open-ended V-Belt

FHP V-Belt

Variable Speed Belt


Specialty Belt

Double V-belt



Belt that enable power transmission on multiple axis by joining two general V-belt by their upper part.

Nominal Dimension




AA Section

Belt No.	List Price	Wt.(Approx)kg	Standard Pitch Length
AA 51(inch)	8.00	0.202	53.1
AA 55	8.60	0.218	57.1
AA 60	9.33	0.238	62.1
AA 68	10.45	0.270	70.1
AA 75	11.39	0.297	77.1
AA 80	12.02	0.317	82.1
AA 85	12.63	0.337	87.1

Belt No.	List Price	Wt.(Approx)kg	Standard Pitch Length
AA 90	13.22	0.357	92.1
AA 92	13.45	0.365	94.1
AA 96	13.90	0.381	98.1
AA 105	14.84	0.416	107.1
AA 112	15.53	0.444	114.1
AA 120	16.25	0.476	122.1
AA 128	16.92	0.508	130.1

Nominal Dimension



BB Section


Belt No.	List Price	Wt.(Approx)kg	Standard Pitch Length
BB 45(inch)	9.29	0.272	47.9
BB 51	9.92	0.308	53.9
BB 55	10.35	0.332	57.9
BB 60	10.87	0.362	62.9
BB 68	11.71	0.410	70.9
BB 71	12.02	0.429	73.9
BB 73	12.23	0.441	75.9
BB 74	12.33	0.447	76.9
BB 75	12.44	0.453	77.9

Belt No.	List Price	Wt.(Approx)kg	Standard Pitch Length
BB 81	13.06	0.489	83.9
BB 85	13.47	0.513	87.9
BB 90	13.98	0.543	92.9
BB 92	14.19	0.556	94.9
BB 93	14.29	0.561	95.9
BB 94	14.39	0.567	96.9
BB 96	14.59	0.579	98.9
BB 97	14.70	0.585	99.9
BB 105	15.51	0.634	107.9

Belt No.	List Price	Wt.(Approx)kg	Standard Pitch Length
BB 107	15.71	0.646	109.9
BB 108	15.81	0.652	110.9
BB 111	16.11	0.670	113.9
BB 112	16.21	0.676	114.9
BB 116	16.61	0.700	118.9
BB 118	16.81	0.712	120.9
BB 120	17.01	0.724	122.9
BB 122	17.21	0.736	124.9
BB 123	17.31	0.742	125.9
BB 124	17.41	0.748	126.9
BB 128	17.81	0.773	130.9
BB 129	17.91	0.779	131.9
BB 130	18.01	0.785	132.9
BB 136	18.60	0.821	138.9
BB 140	18.99	0.845	142.9
BB 144	19.38	0.869	146.9
BB 155	20.45	0.936	157.9

Belt No.	List Price	Wt.(Approx)kg	Standard Pitch Length
BB 158	20.74	0.954	160.9
BB 162	21.12	0.978	164.9
BB 168	21.70	1.014	170.9
BB 169	21.79	1.020	171.9
BB 173	22.18	1.044	175.9
BB 180	22.84	1.086	182.9
BB 182	23.03	1.099	184.9
BB 190	23.78	1.147	192.9
BB 195	24.25	1.177	197.9
BB 210	25.63	1.268	212.9
BB 226	27.09	1.364	228.9
BB 230	27.46	1.388	232.9
BB 240	28.35	1.449	241.4
BB 270	30.99	1.630	271.4
BB 277	31.60	1.672	278.4
BB 300	33.55	1.811	301.4

Nominal Dimension




CC Section

Belt No.	List Price	Wt.(Approx)kg	Standard Pitch Length
CC 81(inch)	13.11	0.943	85.2
CC 85	13.74	0.989	89.2
CC 90	14.55	1.048	94.2
CC 96	15.56	1.117	100.2
CC 105	17.13	1.222	109.2
CC 112	18.42	1.304	116.2
CC 120	19.95	1.397	124.2
CC 128	21.55	1.490	132.2
CC 136	23.21	1.583	140.2
CC 144	24.95	1.676	148.2
CC 158	28.14	1.839	162.2
CC 162	29.09	1.886	166.2

Belt No.	List Price	Wt.(Approx)kg	Standard Pitch Length
CC 173	31.79	2.014	177.2
CC 180	33.57	2.095	184.2
CC 195	37.56	2.270	199.2
CC 210	41.79	2.444	214.2
CC 240	50.96	2.793	244.2
CC 270	61.06	3.143	272.2
CC 300	72.11	3.492	302.2
CC 330	84.09	3.841	332.2
CC 360	97.02	4.190	362.2
CC 390	110.89	4.539	392.2
CC 420	125.70	4.889	422.2

Round Belt




Round sectional shape for multiple axis power transmission.

Belt No.	List Price
ROUND 1/2 850(mm)	7.88
ROUND 1/2 1016	8.15
ROUND 1/2 1066	8.23
ROUND 1/2 3920	15.24
ROUND 1/2 4250	16.34
ROUND 1/2 4283	16.46
ROUND 1/4 930	19.12
ROUND 1/4 980	19.87
ROUND 1/4 1575	28.74
ROUND 1/4 1590	28.96
ROUND 1/4 1595	29.04

Belt No.	List Price
ROUND 1/4 1670	30.15
ROUND 1/4 4270	67.49
ROUND 3/8 890	7.21
ROUND 3/8 950	7.33
ROUND 3/8 1320	8.01
ROUND 3/8 1330	8.03
ROUND 5/8 3860	17.10
ROUND 5/8 11280	45.80
ROUND 5/8 11450	46.25
ROUND 5/8 12450	48.72
ROUND 5/16 930	4.64

Open-ended V-Belt




Open-ended V-belt can be set without disassembling, and it can be jointed using a connector very easily.

Belt No.	Grade	List Price
M 50(M)		309.07
M 50	GREEN Perforated	310.63
M 50	Perforated	349.07
A 50		280.28
A 50	B/BACK	278.77
A 50	GREEN Perforated	322.20
A 50	Perforated	320.28
A 50	Perforated B/BACK	318.77


Belt No.	Grade	List Price
B 50		375.08
B 50	GREEN Perforated	419.54
B 50	Perforated	415.08
B 50	Perforated B/BACK	411.66
C 50		481.18
C 50	GREEN Perforated	526.95
C 50	Perforated	521.18

FHP V-Belt



Compact design and can be used on small pulleys.

Nominal Dimension



3L Section


Belt No.	List Price	Wt.(Approx)kg	Effective pitch length
3L 170(10in.)	1.91	0.025	17
3L 180	1.93	0.027	18
3L 190	1.95	0.028	19
3L 200	1.97	0.030	20
3L 210	1.99	0.031	21
3L 220	2.01	0.033	22
3L 230	2.03	0.034	23
3L 240	2.06	0.036	24
3L 250	2.08	0.037	25
3L 260	2.10	0.038	26
3L 270	2.12	0.040	27
3L 280	2.14	0.041	28
3L 290	2.16	0.043	29
3L 300	2.19	0.044	30
3L 310	2.21	0.046	31
3L 320	2.23	0.047	32
3L 330	2.25	0.049	33
3L 340	2.28	0.050	34
3L 350	2.30	0.052	35
3L 360	2.32	0.053	36
3L 370	2.35	0.055	37
3L 380	2.37	0.056	38
3L 390	2.40	0.058	39
3L 400	2.42	0.059	40
3L 410	2.45	0.061	41
3L 420	2.47	0.062	42
3L 430	2.50	0.064	43
3L 440	2.52	0.065	44

Belt No.	List Price	Wt.(Approx)kg	Effective pitch length
3L 450	2.55	0.067	45
3L 460	2.58	0.068	46
3L 470	2.60	0.069	47
3L 480	2.63	0.071	48
3L 490	2.66	0.073	49
3L 500	2.68	0.074	50
3L 510	2.71	0.075	51
3L 520	2.74	0.077	52
3L 530	2.77	0.078	53
3L 540	2.79	0.080	54
3L 550	2.82	0.081	55
3L 560	2.85	0.083	56
3L 570	2.88	0.084	57
3L 580	2.91	0.086	58
3L 590	2.94	0.087	59
3L 600	2.97	0.089	60
3L 610	3.00	0.090	61
3L 620	3.03	0.091	62
3L 630	3.06	0.093	63
3L 650	3.12	0.096	65
3L 660	3.15	0.098	66
3L 670	3.18	0.101	67
3L 680	3.21	0.101	68
3L 690	3.24	0.102	69
3L 700	3.28	0.104	70
3L 720	3.34	0.107	72
3L 730	3.37	0.108	73
3L 740	3.41	0.110	74

Belt No.	List Price	Wt.(Approx)kg	Effective pitch length
3L 750	3.44	0.111	75
3L 800	3.61	0.118	80

Belt No.	List Price	Wt.(Approx)kg	Effective pitch length
3L 850	3.78	0.126	85

Nominal Dimension



4L Section


Belt No.	List Price	Wt.(Approx)kg	Effective pitch length
4L 180(10in.)	2.64	0.052	18
4L 190	2.67	0.055	19
4L 195	2.69	0.056	19.5
4L 200	2.70	0.058	20
4L 210	2.73	0.061	21
4L 220	2.76	0.064	22
4L 230	2.79	0.067	23
4L 240	2.81	0.069	24
4L 250	2.84	0.072	25
4L 260	2.87	0.075	26
4L 270	2.90	0.078	27
4L 275	2.92	0.080	27.5
4L 280	2.93	0.081	28
4L 290	2.96	0.084	29
4L 300	2.99	0.087	30
4L 305	3.01	0.088	30.5
4L 310	3.02	0.090	31
4L 320	3.05	0.093	32
4L 330	3.08	0.095	33
4L 340	3.11	0.098	34
4L 350	3.14	0.101	35
4L 360	3.17	0.104	36
4L 370	3.20	0.107	37
4L 380	3.23	0.110	38
4L 390	3.27	0.113	39
4L 400	3.30	0.116	40
4L 410	3.33	0.119	41
4L 420	3.36	0.121	42
4L 430	3.39	0.124	43
4L 440	3.42	0.127	44
4L 450	3.46	0.130	45
4L 460	3.49	0.133	46
4L 470	3.52	0.136	47
4L 480	3.55	0.139	48

Belt No.	List Price	Wt.(Approx)kg	Effective pitch length
4L 490	3.59	0.142	49
4L 500	3.62	0.145	50
4L 510	3.65	0.147	51
4L 520	3.69	0.150	52
4L 530	3.72	0.153	53
4L 540	3.75	0.156	54
4L 550	3.79	0.159	55
4L 560	3.82	0.162	56
4L 570	3.86	0.165	57
4L 580	3.89	0.168	58
4L 590	3.92	0.171	59
4L 600	3.96	0.174	60
4L 610	3.99	0.176	61
4L 620	4.03	0.179	62
4L 630	4.06	0.182	63
4L 640	4.10	0.185	64
4L 650	4.13	0.188	65
4L 660	4.17	0.191	66
4L 670	4.21	0.194	67
4L 680	4.24	0.197	68
4L 690	4.28	0.200	69
4L 700	4.31	0.202	70
4L 710	4.35	0.205	71
4L 720	4.39	0.208	72
4L 730	4.42	0.211	73
4L 740	4.46	0.214	74
4L 750	4.50	0.217	75
4L 760	4.53	0.220	76
4L 770	4.57	0.223	77
4L 780	4.61	0.226	78
4L 790	4.65	0.228	79
4L 800	4.68	0.231	80
4L 810	4.72	0.234	81
4L 820	4.76	0.237	82

Belt No.	List Price	Wt.(Approx)kg	Effective pitch length
4L 830	4.80	0.240	83
4L 840	4.84	0.243	84
4L 850	4.88	0.246	85
4L 860	4.91	0.249	86
4L 870	4.95	0.252	87
4L 880	4.99	0.254	88
4L 890	5.03	0.257	89
4L 900	5.07	0.260	90
4L 910	5.11	0.263	91

Belt No.	List Price	Wt.(Approx)kg	Effective pitch length
4L 920	5.15	0.266	92
4L 930	5.19	0.269	93
4L 940	5.23	0.272	94
4L 950	5.27	0.275	95
4L 960	5.31	0.278	96
4L 970	5.35	0.281	97
4L 980	5.39	0.283	98
4L 990	5.43	0.286	99
4L 1000	5.47	0.289	100

Nominal Dimension



5L Section


Belt No.	List Price	Wt.(Approx)kg	Effective pitch length
5L 220(10in.)	3.21	0.104	22
5L 230	3.26	0.109	23
5L 240	3.30	0.113	24
5L 250	3.35	0.118	25
5L 260	3.40	0.123	26
5L 270	3.45	0.127	27
5L 280	3.50	0.132	28
5L 290	3.55	0.137	29
5L 300	3.60	0.142	30
5L 310	3.65	0.146	31
5L 320	3.69	0.151	32
5L 330	3.74	0.156	33
5L 340	3.79	0.160	34
5L 350	3.85	0.165	35
5L 360	3.90	0.170	36
5L 370	3.95	0.175	37
5L 380	4.00	0.179	38
5L 390	4.05	0.184	39
5L 400	4.10	0.189	40
5L 410	4.15	0.194	41
5L 415	4.18	0.196	41.5
5L 420	4.20	0.198	42
5L 430	4.26	0.203	43
5L 440	4.31	0.208	44
5L 450	4.36	0.212	45
5L 460	4.41	0.217	46
5L 470	4.47	0.222	47

Belt No.	List Price	Wt.(Approx)kg	Effective pitch length
5L 480	4.52	0.227	48
5L 490	4.57	0.231	49
5L 500	4.63	0.236	50
5L 510	4.68	0.241	51
5L 520	4.74	0.245	52
5L 530	4.79	0.250	53
5L 540	4.85	0.255	54
5L 550	4.90	0.260	55
5L 560	4.96	0.264	56
5L 570	5.01	0.269	57
5L 580	5.07	0.274	58
5L 590	5.13	0.278	59
5L 600	5.18	0.283	60
5L 610	5.24	0.288	61
5L 620	5.29	0.293	62
5L 630	5.35	0.297	63
5L 640	5.41	0.302	64
5L 650	5.47	0.307	65
5L 660	5.52	0.312	66
5L 670	5.58	0.316	67
5L 680	5.64	0.321	68
5L 690	5.70	0.326	69
5L 695	5.73	0.328	69.5
5L 700	5.76	0.330	70
5L 710	5.82	0.335	71
5L 720	5.88	0.340	72
5L 730	5.94	0.348	73

Belt No.	List Price	Wt.(Approx)kg	Effective pitch length
5L 740	6.00	0.349	74
5L 750	6.06	0.354	75
5L 760	6.12	0.359	76
5L 770	6.18	0.363	77
5L 780	6.24	0.368	78
5L 790	6.30	0.373	79
5L 800	6.36	0.377	80
5L 810	6.42	0.382	81
5L 820	6.48	0.387	82
5L 830	6.54	0.392	83
5L 840	6.61	0.396	84
5L 850	6.67	0.401	85
5L 860	6.73	0.401	86

Belt No.	List Price	Wt.(Approx)kg	Effective pitch length
5L 870	6.79	0.411	87
5L 880	6.86	0.415	88
5L 890	6.92	0.420	89
5L 900	6.98	0.425	90
5L 910	7.05	0.430	91
5L 920	7.11	0.434	92
5L 940	7.24	0.444	94
5L 960	7.37	0.453	96
5L 970	7.43	0.458	97
5L 980	7.50	0.463	98
5L 990	7.57	0.467	99
5L 1000	7.63	0.472	100

Variable Speed Belt



Power transmission belt for variable speed pulleys having separable parts.

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
1228V255	5.78	0.205	663
1422V270	5.03	0.166	701
1422V290	5.27	0.178	752
1422V300	5.38	0.184	777
1422V330	5.74	0.202	853
1422V340	5.86	0.208	879
1422V360	6.09	0.220	930
1422V400	6.55	0.245	1031
1422V420	6.78	0.257	1082
1422V440	7.01	0.270	1133
1422V460	7.24	0.282	1184
1422V466	7.30	0.286	1199
1422V470	7.35	0.288	1209
1422V480	7.46	0.294	1234
1422V540	8.13	0.331	1387
1422V600	8.79	0.368	1539
1422V660	9.44	0.405	1692

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
1422V720	10.07	0.442	1844
1422V780	10.70	0.479	1996
1430V215	4.37	0.153	556
1626V262	5.56	0.166	681
1626V293	6.01	0.186	759
1626V304	6.17	0.193	787
1626V330	6.53	0.210	853
1626V339	6.66	0.215	876
1626V384	7.26	0.244	991
1626V428	7.83	0.272	1102
1626V440	7.98	0.279	1133
1626V513	8.86	0.326	1318
1626V517	8.90	0.328	1328
1626V604	9.87	0.383	1549
1626V700	10.82	0.444	1793
1628V210	4.79	0.153	554
1628V315	6.32	0.185	813

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
1822V328	6.39	0.216	848
1828V368	7.71	0.242	953
1922V256	7.41	0.184	665
1922V277	7.70	0.199	719
1922V282	7.76	0.203	732
1922V298	7.99	0.214	772
1922V302	8.05	0.217	782
1922V321	8.32	0.231	831
1922V332	8.48	0.239	859
1922V363	8.94	0.261	937
1922V381	9.22	0.274	983
1922V386	9.29	0.277	996
1922V403	9.56	0.290	1039
1922V417	9.78	0.300	1074
1922V426	9.93	0.356	1097
1922V443	10.20	0.361	1140
1922V454	10.38	0.383	1168
1922V460	10.48	0.388	1184
1922V484	10.89	0.408	1245
1922V526	11.61	0.440	1351
1922V544	11.93	0.455	1397
1922V604	13.04	0.505	1549
1922V630	13.53	0.527	1615
1922V646	13.84	0.540	1656
1922V666	14.23	0.557	1707
1922V686	14.63	0.574	1758
1922V706	15.03	0.590	1808
1922V726	15.44	0.607	1859
1922V751	15.97	0.628	1923
1922V756	16.07	0.632	1935
1922V806	17.15	0.674	2062
1922V846	18.03	0.708	2164
1922V891	19.06	0.745	2278
1922V966	20.84	0.808	2469
1926V250	7.33	0.455	658
1926V275	7.67	0.501	719
1930V366	8.99	0.404	950
1930V375	9.13	0.415	973
1930V400	9.51	0.442	1036
1930V425	9.91	0.470	1100
1930V431	10.01	0.476	1115
1930V491	11.01	0.543	1267
1930V530	11.68	0.586	1367
1930V541	11.88	0.598	1394
1930V591	12.79	0.653	1521

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
1930V600	12.96	0.663	1544
1930V641	13.74	0.709	1648
1930V691	14.73	0.764	1775
1930V750	15.94	0.829	1925
1930V791	16.82	0.873	2029
1930V891	19.06	0.985	2283
1930V991	21.46	1.095	2537
1930V1091	24.00	1.206	2791
1930V1191	26.70	1.316	3045
2226V307	11.14	0.350	795
2230V266	10.53	0.135	701
2230V275	10.67	0.140	724
2230V326	11.42	0.165	853
2322V364	12.65	0.428	942
2322V396	13.47	0.466	1024
2322V421	14.10	0.495	1087
2322V441	14.60	0.519	1138
2322V481	15.58	0.566	1240
2322V486	15.71	0.571	1252
2322V521	16.55	0.613	1341
2322V541	17.03	0.636	1392
2322V601	18.43	0.707	1544
2322V621	18.89	0.730	1595
2322V661	19.80	0.777	1697
2322V681	20.25	0.801	1748
2322V701	20.69	0.824	1798
2322V721	21.12	0.848	1849
2322V801	22.83	0.942	2052
2322V826	23.35	0.971	2116
2322V846	23.75	0.995	2167
2322V886	24.56	1.042	2268
2322V921	25.25	1.083	2357
2322V1001	26.77	1.177	2560
2322V1061	27.87	1.247	2713
2326V310	11.24	0.355	800
2326V359	12.52	0.754	930
2330V273	10.26	0.249	711
2426V343	13.42	0.531	889
2428V707	22.20	1.095	1814
2430V297	12.24	0.460	772
2436V331	13.12	0.512	859
2526V314	16.16	0.486	813
2530V309	16.00	0.484	780
2530V470	21.27	0.736	1222
2530V490	21.94	0.767	1273

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
2530V530	23.27	0.830	1374
2530V550	23.94	0.861	1425
2530V575	24.78	0.900	1488
2530V595	25.45	0.931	1539
2530V610	25.96	0.955	1577
2530V630	26.63	0.986	1628
2530V660	27.65	1.033	1704
2530V670	27.99	1.049	1730
2530V690	28.68	1.080	1781
2530V700	29.02	1.096	1806
2530V730	30.05	1.143	1882
2530V740	30.39	1.158	1908
2530V750	30.74	1.174	1933
2530V790	32.12	1.237	2035
2530V840	33.86	1.315	2162
2530V890	35.61	1.393	2289
2530V934	37.16	1.462	2400
2530V990	39.15	1.549	2543
2530V1090	42.73	1.706	2797
2530V1190	46.37	1.863	3051
2626V369	15.81	0.435	955
2626V388	16.22	0.457	1006
2630V345	15.48	0.123	909
2636V332	15.39	1.142	861
2822V778	32.69	1.294	1996
2826V412	19.11	0.630	1067
2826V452	20.54	0.691	1168
2830V337	16.46	0.432	876
2830V363	17.38	0.465	940
2830V366	17.48	0.469	945
2830V367	17.52	0.470	953
2830V393	18.44	0.504	1016
2830V396	18.54	0.508	1029
2830V422	19.47	0.541	1090
2830V428	19.68	0.549	1102
2836V343	16.67	0.524	892
2836V361	17.31	0.551	937
2836V380	17.98	0.581	986
2926V366	20.07	0.434	950
2926V400	21.46	0.474	1036
2926V426	22.51	0.505	1102
2926V471	24.31	0.558	1217
2926V477	24.55	0.565	1232
2926V486	24.90	0.576	1255
2926V491	25.10	0.582	1267

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
2926V521	26.28	0.617	1344
2926V546	27.25	0.647	1407
2926V574	28.33	0.680	1478
2926V586	28.79	0.694	1509
2926V606	29.55	1.039	1560
2926V616	29.93	1.056	1585
2926V636	30.69	1.090	1636
2926V646	31.06	1.107	1661
2926V666	31.81	1.142	1712
2926V686	32.55	1.176	1763
2926V706	33.29	1.210	1814
2926V726	34.02	1.245	1864
2926V776	35.82	1.330	1991
2926V786	36.18	1.347	2017
2926V834	37.88	1.430	2139
2926V856	38.65	1.467	2195
2926V891	39.86	1.527	2283
2926V906	40.37	1.553	2322
2926V966	42.40	1.656	2474
2926V1006	43.72	1.192	2576
3226V392	20.35	1.252	1011
3226V395	20.48	1.262	1024
3226V400	20.70	1.278	1036
3226V439	22.41	1.402	1135
3226V450	22.89	1.437	1163
3226V465	23.55	1.485	1201
3226V505	25.28	1.613	1303
3226V514	25.67	1.642	1326
3226V545	27.00	1.740	1405
3226V585	28.70	1.868	1506
3226V603	29.46	1.926	1552
3226V663	31.98	2.118	1704
3226V723	34.47	2.309	1857
3226V783	36.93	2.500	2009
3226V843	39.35	2.692	2162
3226V903	41.74	2.884	2314
3226V963	44.10	3.075	2466
3226V1023	46.43	3.267	2619
3226V1083	48.73	3.459	2771
3230V419	21.54	0.690	1095
3230V560	27.64	0.923	1448
3230V710	33.93	1.170	1831
3236V342	18.13	0.564	894
3236V369	19.33	0.608	963
3236V432	22.11	0.712	1118

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
3326V478	24.11	0.788	1237
3432V450	21.62	0.920	1158
3432V456	22.83	0.932	1179
3432V480	26.74	0.981	1240
3432V484	27.24	0.989	1250
3432V534	29.88	1.091	1377
3636V479	26.61	0.979	1237
3726V558	28.77	1.140	1440
3826V459	33.15	0.928	1191
3826V465	33.59	0.940	1207
3830V510	36.71	1.131	1326
3830V587	41.22	1.180	1516
3836V418	29.97	0.840	1087
3836V426	30.61	0.856	1107
3836V654	44.32	1.314	1687
3836V734	47.00	1.475	1890
3836V794	48.28	1.596	2042
4030V538	38.99	1.429	1392
4036V541	39.41	1.202	1402
4036V574	43.87	1.275	1483
4230V556	42.76	1.236	1443
4230V605	45.32	1.344	1562
4230V653	47.62	1.451	1684
4430V510	40.84	1.666	1323
4430V548	44.07	1.790	1420
4430V555	44.65	1.813	1438
4430V570	45.89	1.862	1476
4430V578	46.55	1.888	1496
4430V610	49.11	1.993	1577
4430V630	50.68	2.058	1628
4430V660	52.97	2.156	1704
4430V670	53.72	2.188	1730
4430V690	55.20	2.254	1781
4430V700	55.93	2.287	1806
4430V718	57.22	2.345	1852
4430V730	58.06	2.384	1882
4430V740	58.76	2.417	1908
4430V760	60.13	2.482	1958
4430V767	60.61	2.506	1976
4430V790	62.14	2.580	2035
4430V850	65.94	2.776	2187
4430V910	69.48	2.972	2339
4430V970	72.75	3.168	2492
4430V1030	75.75	3.365	2644
4430V1090	78.48	3.561	2797

Belt No.	List Price	Wt.(Approx)kg	Outside Length(mm)
4430V1150	80.95	3.757	2949
4436V329	23.97	1.290	864
4436V525	42.13	2.058	1361
4436V551	44.32	2.160	1427
4436V561	45.15	2.199	1453
4436V576	46.38	2.258	1491
4436V646	51.91	2.532	1669
4626V596	42.56	2.218	1547
4630V650	63.76	2.419	1684
4630V663	67.67	2.467	1717
4630V683	72.79	2.542	1758
4630V733	80.81	2.728	1887
4636V613	50.09	2.281	1590
4830V602	44.47	1.908	1562
4830V653	47.55	2.070	1687
4830V699	50.29	2.215	1816
4830V750	53.30	2.377	1938
4836V588	43.62	2.092	1521
4836V608	44.84	2.164	1570
4836V618	45.44	2.199	1598
4836V642	46.89	2.285	1659
4836V655	47.67	2.331	1692
4836V670	48.57	2.384	1730
4836V710	50.94	2.527	1831
4836V750	53.30	2.669	1933
4836V800	56.20	2.847	2060
4836V850	59.07	3.025	2187
4836V900	61.90	3.203	2314
4836V950	64.69	3.381	2441
4836V1000	67.44	3.559	2568
4836V1060	70.70	3.772	2720
4836V1120	73.90	3.986	2873
4836V1180	77.04	4.199	3025
5130V732	82.78	3.404	1887
5130V799	84.66	3.716	2062
5228V930	114.36	3.393	2392
5230V734	105.83	2.678	1897
5230V867	108.06	3.163	2233
5430V783	94.50	3.985	2029
5636V750	95.97	2.919	1941
5636V774	93.60	3.012	2002
5636V845	96.64	3.289	2182
5830V756	94.71	6.493	1956
6136V756	91.80	6.739	1953