

<PULLEY>

Model	J-PULLEY	
Cust No.	81191326	
Part No.	1002010	
O.E.M. No.		
Spec	OD : Ø132	Photo 
	LAYER 1 P.C.D : Ø77.97	
	LAYER 2 P.C.D : Ø101.34	
	LAYER 3 P.C.D : Ø121.66	
Use	BUICK, CADILLAC, CHEVY, GMC LT TRUCK	

Model	C-PULLEY	
Cust No.	81191323	
Part No.	1002020	
O.E.M. No.		
Spec	OD : Ø148.7	Photo 
	LAYER 1 P.C.D : Ø77.97	
	LAYER 2 P.C.D : Ø101.34	
	LAYER 3 P.C.D : Ø121.66	
Use	BUICK, CADILLAC, CHEVY, OLDSMOBILE	

Model	K-PULLEY	
Cust No.	81191325	
Part No.	1002030	
O.E.M. No.		
Spec	OD : Ø132.5	Photo 
	LAYER 1 P.C.D : Ø77.97	
	LAYER 2 P.C.D : Ø101.34	
	LAYER 3 P.C.D : Ø121.66	
Use	CADILLAC, CHEVY GMC LT TRUCK, PONTIAC	

Model	B-PULLEY	
Cust No.	81191322	
Part No.	1002050	
O.E.M. No.		
Spec	OD : Ø131.5	Photo 
	LAYER 1 P.C.D : Ø77.97	
	LAYER 2 P.C.D : Ø101.34	
	LAYER 3 P.C.D : Ø121.66	
Use	BUICK, CHEVY, CHRYSLER, DODGE	

Model	A-PULLEY	
Cust No.	81191320	
Part No.	1003010	
O.E.M. No.		
Spec	OD : Ø131.5	Photo
	LAYER 1 P.C.D : Ø77.97	No Image
	LAYER 2 P.C.D : Ø101.34	
	LAYER 3 P.C.D : Ø121.66	
Use	BUICK, CHEVY, CHRYSLER, DODGE	

Model	299-PULLEY	
Cust No.	81191329	
Part No.	1004010	
O.E.M. No.		
Spec	OD : Ø141.5	Photo
	LAYER 1 P.C.D : Ø77.97	No Image
	LAYER 2 P.C.D : Ø101.34	
	LAYER 3 P.C.D : Ø121.66	
Use	BUICK, CHEVY, CHRYSLER, DODGE	

Model	298-PULLEY	
Cust No.	81191327	
Part No.	1002060	
O.E.M. No.		
Spec	OD : Ø131	Photo 
	LAYER 1 P.C.D : Ø77.97	
	LAYER 2 P.C.D : Ø101.34	
	LAYER 3 P.C.D : Ø121.66	
Use	BUICK, CHEVY, CHRYSLER, DODGE	

Model	234-PULLEY	
Cust No.	81191331	
Part No.	1005024	
O.E.M. No.		
Spec	OD : Ø132.3	Photo 
	LAYER 1 P.C.D : Ø77.97	
	LAYER 2 P.C.D : Ø101.34	
	LAYER 3 P.C.D : Ø121.66	
Use	BUICK, CADILLAC, CHEVY, OLDSMOBILE	

Model	225-PULLEY	
Cust No.	81191328	
Part No.	1002040	
O.E.M. No.		
Spec	OD : Ø132.5 LAYER 1 P.C.D : Ø77.97 LAYER 2 P.C.D : Ø101.34 LAYER 3 P.C.D : Ø121.66	Photo
		
Use	BUICK, CADILLAC, CHEVY, OLDSMOBILE	

Model	HU-PULLEY	
Cust No.	81191485	
Part No.	3ACP07006	
O.E.M. No.		
Spec	OD : Ø132 LAYER 1 P.C.D : Ø77.97 LAYER 2 P.C.D : Ø101.34 LAYER 3 P.C.D : Ø121.66	Photo
		
Use	BUICK, CHEVY, CHRYSLER, DODGE	

Model	867-PULLEY	
Cust No.	81191554	
Part No.	1003070	
O.E.M. No.		
Spec	OD : Ø129.7 LAYER 1 P.C.D : Ø67 LAYER 2 P.C.D : Ø91 LAYER 3 P.C.D : Ø113	Photo
		
Use	FORD LT TRUCKS, LINCOLN, MERCURY	

Model	868-PULLEY	
Cust No.	81191602	
Part No.	3ACP06013	
O.E.M. No.		
Spec	OD : Ø131.55 LAYER 1 P.C.D : Ø67 LAYER 2 P.C.D : Ø91 LAYER 3 P.C.D : Ø113	Photo
		
Use	FORD LT TRUCKS, MERCURY	

Model	869-PULLEY	
Cust No.	81191601	
Part No.	1003060	
O.E.M. No.		
Spec	OD : Ø148 LAYER 1 P.C.D : Ø67 LAYER 2 P.C.D : Ø91 LAYER 3 P.C.D : Ø113	Photo
		
Use	FORD LT TRUCKS, MERCURY, MAZDA	

Model	871-PULLEY	
Cust No.	81191598	
Part No.	1006010	
O.E.M. No.		
Spec	OD : Ø129.7 LAYER 1 P.C.D : Ø67 LAYER 2 P.C.D : Ø91 LAYER 3 P.C.D : Ø113	Photo
		No Image
Use	FORD, MERCURY	


Model	878-PULLEY	
Cust No.	81191543	
Part No.	3ACP06010	
O.E.M. No.		
Spec	OD : Ø116.9 LAYER 1 P.C.D : Ø70 LAYER 2 P.C.D : Ø97.2	Photo
		
Use	FORD LT TRUCKS	


Model	874-PULLEY	
Cust No.	81191597	
Part No.	3ACP06014	
O.E.M. No.		
Spec	OD : Ø131.55 LAYER 1 P.C.D : Ø67 LAYER 2 P.C.D : Ø91 LAYER 3 P.C.D : Ø113	Photo
		
Use	LINCOLN	


Model	877-PULLEY	
Cust No.	81191542	
Part No.	1006030	
O.E.M. No.		
Spec	OD : Ø140 LAYER 1 P.C.D : Ø67 LAYER 2 P.C.D : Ø91 LAYER 3 P.C.D : Ø113	Photo
		
Use	MERCURY, NISSAN	

Model	880-PULLEY	
Cust No.	81191605	
Part No.	1006020	
O.E.M. No.		
Spec	OD : Ø129.97 LAYER 1 P.C.D : Ø67 LAYER 2 P.C.D : Ø91 LAYER 3 P.C.D : Ø113	Photo
		No Image
Use	FORD, LINCOLN, MERCURY	


Model	881-PULLEY		Model	882-PULLEY	
Cust No.	81191595		Cust No.		
Part No.	1003050		Part No.	3ACP07001	
O.E.M. No.			O.E.M. No.		
Spec	OD : Ø129.97 LAYER 1 P.C.D : Ø67 LAYER 2 P.C.D : Ø91 LAYER 3 P.C.D : Ø113	Photo	Spec	OD : Ø116.9 LAYER 1 P.C.D : Ø70 LAYER 2 P.C.D : Ø97.2	Photo
					
Use	FORD LT TRUCKS, LINCOLN, MERCURY		Use		


Model	STD A-PULLEY	
Cust No.		
Part No.	1009-3101	
O.E.M. No.		
Spec	OD : Ø131.5 LAYER 1 P.C.D : Ø77.97 LAYER 2 P.C.D : Ø101.34 LAYER 3 P.C.D : Ø121.66	Photo 
	Use	


Model	STD B-PULLEY	
Cust No.		
Part No.	1009-3102	
O.E.M. No.		
Spec	OD : Ø131.5 LAYER 1 P.C.D : Ø77.97 LAYER 2 P.C.D : Ø101.34 LAYER 3 P.C.D : Ø121.66	Photo 
	Use	


Model	레간자-PULLEY	
Cust No.		
Part No.	1009-3103	
O.E.M. No.		
Spec	OD : Ø131.5 LAYER 1 P.C.D : Ø77.97 LAYER 2 P.C.D : Ø101.34 LAYER 3 P.C.D : Ø121.66	Photo 
	Use	

Model	NEW A-PULLEY	
Cust No.		
Part No.	1009-3105	
O.E.M. No.		
Spec	OD : Ø131.5	Photo
	LAYER 1 P.C.D : Ø77.97 LAYER 2 P.C.D : Ø101.34 LAYER 3 P.C.D : Ø121.66	
Use	KDAC	

Model	그랜 토-PULLEY	
Cust No.		
Part No.	1009-3106	
O.E.M. No.		
Spec	OD : Ø135 LAYER 1 P.C.D : Ø75 LAYER 2 P.C.D : Ø101	Photo 
	Use	

Model	J-2900-PULLEY		
Cust No.			
Part No.	1009-3107		
O.E.M. No.			
Spec	OD : Ø124 LAYER 1 P.C.D : Ø75 LAYER 2 P.C.D : Ø101	Photo 	
	Use		

Model	S-CAR-PULLEY	
Cust No.		
Part No.	1009-3108	
O.E.M. No.		
Spec	OD : Ø129.2 LAYER 1 P.C.D : Ø75 LAYER 2 P.C.D : Ø101	Photo 
	Use	

Model	K-PULLEY		
Cust No.	81191325		
Part No.	1002030		
O.E.M. No.			
Spec	OD : Ø132.5 LAYER 1 P.C.D : Ø77.97 LAYER 2 P.C.D : Ø101.34 LAYER 3 P.C.D : Ø121.66		Photo 
	Use	KDAC	

Model	J 150-PULLEY	
Cust No.		
Part No.	1009-3104	
O.E.M. No.		
Spec	OD : Ø131.4 LAYER 1 P.C.D : Ø77.97 LAYER 2 P.C.D : Ø101.34 LAYER 3 P.C.D : Ø121.66	Photo
Use	KDAC	

Model	58176-PULLEY	
Cust No.	81191548	
Part No.	1009-5101	
O.E.M. No.		
Spec	OD : Ø132 LAYER 1 P.C.D : Ø70 LAYER 2 P.C.D : Ø97.2	Photo
Use		

Model	DEP1-PULLEY	
Cust No.	1004070	
Part No.	X3AMCP051	
O.E.M. No.		
Spec	OD : Ø132 LAYER 1 P.C.D : Ø75.3 LAYER 2 P.C.D : Ø100.6	Photo
Use		

Model	DEP2-PULLEY	
Cust No.	1004080	
Part No.	X3AMCP052	
O.E.M. No.		
Spec	OD : Ø121.7 LAYER 1 P.C.D : Ø75.3 LAYER 2 P.C.D : Ø100.6	Photo
Use		


Model	DUAL PULLEY	
Cust No.	5025-0410	
Part No.	1013-3401	
O.E.M. No.		
Spec	OD : Ø138.1 LAYER 1 P.C.D : Ø70 LAYER 2 P.C.D : Ø97.2 LAYER 3 P.C.D : NON	Photo
Use	DONG THERMO (Refrigerator Truck)	

Model	MSC105CGI-PULLEY	
Cust No.		
Part No.	X3ACP06009	
O.E.M. No.		
Spec	OD : Ø109 LAYER 1 P.C.D : Ø62.7 LAYER 2 P.C.D : Ø88	Photo
		
Use		

Model	PULLEY ASS'Y	
Cust No.		
Part No.	X1009-1700	
O.E.M. No.		
Spec	OD : Ø122 LAYER 1 P.C.D : Ø67 LAYER 2 P.C.D : Ø91 LAYER 3 P.C.D : Ø113	Photo
		
Use		





Model	PULLEY ASS'Y	
Cust No.	81141287	
Part No.	1013-0701	
O.E.M. No.		
Spec	OD : Ø123.2 LAYER 1 P.C.D : Ø70 LAYER 2 P.C.D : Ø97.2 LAYER 3 P.C.D : NON	Photo
		
Use	HS 18	

Model	PULLEY ASS'Y -B1	
Cust No.	XAD300877/XAD300913	
Part No.	1012-3501	
O.E.M. No.		
Spec	OD : Ø163	Photo
	LAYER 1 P.C.D : Ø90.9 LAYER 2 P.C.D : Ø122 LAYER 3 P.C.D : NON	
Use	BUS BEARING : Ø75XØ45XB35	

Model	PULLEY ASS'Y -8PK	
Cust No.	XAD300877/XAD300913	
Part No.	1012-3502	
O.E.M. No.		
Spec	OD : Ø147	Photo
	LAYER 1 P.C.D : Ø90.9 LAYER 2 P.C.D : Ø122 LAYER 3 P.C.D : NON	
Use	BUS BEARING : Ø75XØ45XB35	


<HUB>






Model	L/W HUB	L/W HUB
Cust No.	81191350	81191352
Part No.	3AMCP003	3AMCP022-X00
O.E.M No.		
Spec	OD : Ø128.5	OD : Ø128.5
	LAYER 1 P.C.D : Ø90.15	LAYER 1 P.C.D : Ø90.15
	LAYER 2 P.C.D : Ø112.45	LAYER 2 P.C.D : Ø112.45
Key Size	 A : 16.0 B : 4.0 C : Ø 13.7	 A : 16.0 B : 4.0 C : Ø 13.7
Photo		
Use	R4	V5
Drawing		


Model	AA-HUB	AB-HUB
Cust No.	81191588	81191589
Part No.	2003030	2003040
O.E.M No.		
Spec	OD : Ø122	OD : Ø122
	LAYER 1 P.C.D : Ø90.15	LAYER 1 P.C.D : Ø90.15
	LAYER 2 P.C.D : Ø112.45	LAYER 2 P.C.D : Ø112.45
Spline Size	Ø12.6 X 21Teeth X 0.6	Ø12.6 X 21Teeth X 0.6
Photo		
Use		

Model	AC-HUB	AD-HUB
Cust No.	81191609	81191540
Part No.	2006040	3ACP06001
O.E.M No.		
Spec	OD : Ø122	OD : Ø115
	LAYER 1 P.C.D : Ø90.15	LAYER 1 P.C.D : Ø83.82
	LAYER 2 P.C.D : Ø112.45	
Spline Size	Ø12.6 X 21Teeth X 0.6	Ø12.6 X 21Teeth X 0.6
Photo		
Use		

Drawing		
---------	--	--


Model	S-CAR-HUB	CLUTCH ASS'Y-HUB
Cust No.		2005030
Part No.		2005030
O.E.M No.		
Spec	OD : Ø111 LAYER 1 P.C.D : Ø90	OD : Ø105 LAYER 1 P.C.D : Ø80
Key Size	 A : 16.0 B : 4.0 C : Ø13.7	 A : 14.4 B : 3.0 C : Ø8.2
Spline Size		
Photo		


Model	그랜토-HUB
Cust No.	
Part No.	X2009-3101
O.E.M No.	
Spec	OD : Ø120.4 LAYER 1 P.C.D : Ø85.9
Key Size	 A : 16.0 B : 4.0 C : Ø13.7
Spline Size	
Photo	

Drawing	
---------	--

Model	MSC105CGI-HUB	
Cust No.		
Part No.	X3ACP06008	
O.E.M. No.		
Spec	OD : Ø102	Photo 
	LAYER 1 P.C.D : Ø 76.25	
Key Size	Ø9.5 X 18Teeth X 0.5	
Spline Size		
Use		


Model	AMATURE ASS'Y	
Cust No.		
Part No.	2009-1700	
O.E.M. No.		
Spec	OD : Ø122	Photo 
	LAYER 1 P.C.D : Ø 78.7	
	LAYER 2 P.C.D : Ø 102	
Key Size	Ø11 X 22Teeth X 0.5	
Spline Size		
Use		


Model	AMATURE ASS'Y-B1	
Cust No.	XAD300877/XAD300913	
Part No.	2012-3501	
O.E.M. No.		
Spec	OD : Ø140 LAYER 1 P.C.D : Ø106.5 LAYER 2 P.C.D : NON	Photo
	 A : 15.3 B : 5.0 C : Ø15.3	
Key Size		
Use	BUS	


Model	AMATURE ASS'Y-8PK	
Cust No.	XAD300877/XAD300913	
Part No.	2012-3501	
O.E.M. No.		
Spec	OD : Ø140 LAYER 1 P.C.D : Ø106.5 LAYER 2 P.C.D : NON	Photo
	 A : 15.3 B : 5.0 C : Ø15.3	
Key Size		
Use	BUS	

<MAGNETIC COIL>



Model	48257 PIN COIL	COIL	SPADE COIL
Cust No.	81140626	81140628	81140625
Part No.	3002030	3002010	3003060
O.E.M No.			
Spec	OD : Ø95.35, ID : Ø63.65	OD : Ø100.85, ID : Ø66.15	OD : Ø115.05, ID : Ø63.65
	VOLTS : 12.0V	VOLTS : 12.8V	VOLTS : 12.8V
	RESISTANCE : $3.21\Omega \pm 5\%$	RESISTANCE : $3.15\Omega \pm 5\%$	RESISTANCE : $3.15\Omega \pm 5\%$
Photo			
Use	V5	R4	
Drawing			

Model	FS10 COIL(Small)	FS10 COIL(Medium)	FS10 COIL(Large)
Cust No.	81140617	81140640	81140618
Part No.	3ACP03022	3006150	3ACP03024
O.E.M No.			
Spec	OD : Ø95.35, ID : Ø63.65 VOLTS : 12.0V RESISTANCE : $3.21\Omega \pm 5\%$	OD : Ø100.85, ID : Ø66.15 VOLTS : 12.8V RESISTANCE : $3.15\Omega \pm 5\%$	OD : Ø115.05, ID : Ø63.65 VOLTS : 12.8V RESISTANCE : $3.15\Omega \pm 5\%$
Photo			
Use			
Drawing			

Model	COIL ASS'Y	COIL ASSY
Cust No.	3005090	3005030
Part No.	X3ACP05029	3ACP05028
O.E.M No.		
Spec	OD : Ø102.9, ID : Ø72.1	OD : Ø103, ID : Ø64
	VOLTS :12V, 24V	VOLTS : 12V
	RESISTANCE :	RESISTANCE : 3.5Ω±0.15%
	3.62Ω±0.15%, 3.92Ω±0.15%	
Photo		
Use		
Drawing		

Model	MSC105GHI-COIL (MSC)	
Cust No.		
Part No.	X3ACP06007	
O.E.M. No.		
Spec	OD : Ø92.2, ID : Ø60 VOLTS : 12V RESISTANCE : 3.9Ω±5%	Photo
		
Use		

Model	COIL ASS'Y	
Cust No.		
Part No.	3009-1701	
O.E.M. No.		
Spec	OD : Ø95.5, ID : Ø63.5 VOLTS : 24V RESISTANCE : 12Ω±5%	Photo
		
Use		

Model	COIL ASS'Y	
Cust No.	81141288	
Part No.	3013-0700	
O.E.M. No.		
Spec	OD : Ø101, ID : Ø63.9 VOLTS : 12V RESISTANCE : 3.15Ω±5%	Photo
Use	HS 18	

Model	COIL ASS'Y-B1	
Cust No.	XAD300877/XAD300913	
Part No.	3012-3501	
O.E.M. No.		
Spec	OD : Ø125.8 , ID : Ø86.3 VOLTS : 24V RESISTANCE : 15.1Ω±5% (MAGNET WIRE : Ø0.6)	Photo
		
Use	BUS	

Model	COIL ASS'Y-8PK (KB AUTOTECH)	
Cust No.	XAD300877/XAD300913	
Part No.	3012-3501	
O.E.M. No.		
Spec	OD : Ø125.8 , ID : Ø86.3 VOLTS : 24V RESISTANCE : 15.1Ω±5% (MAGNET WIRE : Ø0.6)	Photo
		
Use	BUS	