

BEST TECHNOLOGY FULL COLOR SORTER

- -16million color realization with 24bits TRUE COLOR sensor
- -0.07mm detection from 4096pixel high resolution sensor
- -Current automatic image correction technology adopted
- -Center tracing of defective material makes accuracy rejection





·UI: windows 7 adopted



·high luminant LED module ·30% of enhanced intensity

THE WORLD BEST COLOR SORTER

Our variety and reliable color sorters are result of long experience and perpetual Research & Development in sorting industries. DAEWON GSI has accumulated technology more than 25 years in the optical sorting industry. The company has continuously increased color sorter's sorting capacity and accuracy by the experience with the customer's feedback in the sight



RGB CAMERA

- · RGB sensor realizes Full Color
- · Less noise and swift respond meets high speed processing
- High resolution of 4096 pixel x 3line
- Enhanced resolution prior 0.14mm to 0.07mm






Variety chutes

- · Suitable chute for variety grains and commodity
- · Multiple chutes combination in a machine
- · Special coating makes longer life time





ENHANCED IMAGE PROCESSING SYSTEM

- · Recognition of real color(16million color)
- Shape sorting by size(option)
- Fully developed software makes high quality of image realization



HI EFFECIENCY EJECTOR

- Tailored ejector by time tested own technology
- · Fully upgraded with feedback from the sight
- High accuracy and efficiency
- · Verified technology and life time




Remote Control

- Multiple machine control by remote
- Time, space free setting and monitoring(A/S)
- · Access by smart phone



Exporting Countries


Since DAEWON GSI started exporting the one-pass polisher to Peru in 1979, we have been continuing the export of automatic grain processing facilities to all of the world. We developed technology and acquired knowhow more than 25-years for our customers benefit. Now we are spreading our business scope to all of industries.



Model No.	Dimensions (W×L×H mm)	Input to M/C (Ton/Hour)	Power (KW)	Compressor Power (H/P)	Channel
IB-3	1620×1500×1769	3~9	2.5	15	192
IB-4	1940×1500×1769	4~12	3.0	20	256
IB-5	2260×1500×1769	5~15	3.5	20	320
IB-6	2580×1500×1769	6~18	4.0	25	384
IB-7	2900×1500×1769	7~21	4.5	30	448

^{*} The specifications and designs can be changed without any notice. The capacity depends on impurity ratio. * Compressor, Air dryer, Cooler(option)

^{**} DAEWON GSI reserves the right changing equipment circuitry design, specifications, features, external design, dimensions and functions without any prior notice, for promoting the quality of the products





#235 Gongdan-Ro, Waegwan-Eup, Chilgok-Gun, Gyeongbuk, R.O.Korea

TEL: 82-54-979-2228 FAX: 82-54-973-2230

E-mail: trade@daewon.com http://www.daewon.com