USB drives for XGT Panel

Update: 30-June, 2016

Please find USB drives compatible with XGT Panel (XP/eXP/iXP series).

[USB drives List]

| [USB drives List] | | | |
|---------------------------------------|-------------------------------------|------------------------|--|
| Manufacturer | Part Name | Image | |
| SanDisk (<u>www.sandisk.com</u>) | CRUZER Force USB Flash Drive 16GB | SanDisk | |
| | Ultra USB 3.0 Flash Drive 32GB | | |
| | Cuzer Blade Flash Drive 32GB | SanDisk | |
| | Cuzer Switch Flash Drive 32GB | SanDisk | |
| | CRUZER FIT USB 3.0 Flash Drive 32GB | CCVYMMXXXXXL SDC743 | |
| Transcend (www.transcend- info.com) | Jet Flash710 32GB | © bneosnerT | |


| | Jet Flash520S 32GB | BRIDSHITE D |
|---------------------------------|----------------------------------|------------------|
| Kingston (www.kingston.com) | DTSE9 G2 32GB | OTORO O |
| | DTSE9 8GB | |
| Sony (<u>www.sony.com</u>) | USB Flash Drive 32GB | SONY |
| | USMW series USB Flash Drive 32GB | SONY 32 GB |
| PNY | FD16GATT4-EF 16GB | E PNY 16GB |

We tested the above but the specifications and characteristics of USB drives are subject to change without notice of manufacturers. And we do not guarantee USB compatibility; this is for your information only.

When the USB drive is not recognized, please check the following.

1. Deselect "Reset USB Power"

- (1) Select [Settings → Environment Setting → Touch Setting] menu in XGT Panel.
- (2) Deselect 'Reset USB Power' combo box. Initial setting is 'Selected'.



2. Inspect USB drive


A USB drive may be damaged during operation (repeated insertion and removal), resulted in dent, crack, etc. Please inspect the USB contact surface and change other USB drive when you find any damage on it.

3. Operation environment


USB Drives are supposed to be used in room temperature/humidity. USB drives do not operate properly and may be broken at high temperature conditions. And corrosion may occur when humidity is high.

And when you have difficulties in finding USB drives in the list, please refer to the below.

1. Select the shielded USB drive to protect electric noise, vibration, shock, etc.



- 2. Check the compatible USB version. XGT Panel supports USB 2.0 or higher.
- 3. USB drives with AutoRun program/file are not recommended.
- 4. Check the file system of USB Drive. (NTFS is not supported.)
 - XP: FAT, FAT32
 - iXP/eXP: FAT, FAT32, exFAT
 - Can you check the file system at 'Properties' of the USB Drive.



Page 4 / 4