

Product information









PC Control

Dial Control

Both Electrical and Mechanical type fruit sorter



- Very useful for multi-fruit small farm
- Can be used in mechanical type in case of electrical type failure
- Can be used electrical type after repair (NO blank period)
- Two methods of electrical and mechanical in one machine
- Used for Apple, Onion, Potato, carrot, Mango,

| Grade | Speed | Accuracy | Dimention |
|-------|----------------|----------|----------------|
| 8 | 5,700 EA/ hour | under 3g | 4920X1800x1100 |
| 10 | 5,700 EA/ hour | under 3g | 5620X1800X1100 |
| 12 | 5,700 EA/ hour | under 3g | 6320X1800X1100 |
| 14 | 5,700 EA/ hour | under 3g | 7020X1800X1100 |
| 16 | 5,700 EA/ hour | under 3g | 7720X1800X1100 |





Dial Control

Mechanical dial type Fruit Sorter for small farm



- Move dial to measure the weighting grade and sort 20g ~1,000g
- Not easily breakdown
- Highly efficient in weighting fruit for small farm
- Easy to operate
- Used for Apple, Onion, Potato, carrot, Mango, Walnut,

| Sorting Grade | Speed | Accuracy | Dimention |
|---------------|----------------|----------|--------------------|
| 8 | 5,700 EA/ hour | under 3g | 4920X1800x1100 |
| 10 | 5,700 EA/ hour | under 3g | 5620X1800X110 0 |
| 12 | 5,700 EA/ hour | under 3g | 6320X1800X110 0 |
| 14 | 5,700 EA/ hour | under 3g | 7020X1800X110 0 |
| 16 | 5,700 EA/ hour | under 3g | 7720X1800X110 0 |

High Speed Fruit Sorter by PC control





- Controlled by PC
- Highly efficient in Weighting Fruit
- Sorting Speed: 15,000 Pcs/Hour
- Easy to operate
- Used for Apple, Onion, Potato, carrot, Mango, Walnut,

| Grade | Speed | Accuracy | DxWxH |
|-------|-----------------|----------|----------------|
| 10 | 12,000 EA/ hour | under 3g | 7300X3200X1100 |
| 12 | 12,000 EA/ hou | under 3g | 8000X3200x1100 |
| 14 | 12,000 EA/ hou | under 3g | 8300X3200x1100 |
| 16 | 12,000 EA/ hou | under 3g | 9400X3200X1100 |

Blueberry Sorting Machine- conveyor type









- Useful for small fruit like Blueberry, Cherry, Blackberry
- Shock Resistant belt
- Sorting Grade: 10~39mm
- Sorting Speed : 2 tons / hours
- Used for Plum, Chestnut, Walut, Cherry Tomato
- Dimension: 5700 (D) x 1300 (W) x 1000 (H)

Cherry sorting machine







- · Not stuck in the machine
- Appropriate machine for small farm
- No damage to the fruit.
- Easy to operate
- Sorting grade: 14~30mm
- Sorting speed : 100kg / hour
- Used for Blueberry, Blackberry, Cherry
- Dimension : 2000 x 730 x 800

03. Main Product _ Washing



Washing machine for Radish, Carrot





- Useful for washing Radish, Carrot
- Not easily breakdown
- Highly efficient in washing radish for small farm
- Easy to operate
- Capacity: 90kg / hour
- Dimension: 1310x730x1100

04. Main Product _ Dehydrator



| Model | SBD 111 | SBD 222 | SBD 333 |
|-------------|--------------|---------------|---------------|
| Size(WxDxH) | 665x810x1900 | 1260x810x1900 | 1865x810x1900 |

Agricultural Product Dehydrator

- High_Density Polyurethance Foam to Prevent Heat Loss
- Fully Automatic Digital Control Systems
- Forced Convection Drying System
- Independent Control System
- Electric Hot-air Drying System to ensure Freshness

| Model | SBD 111 | SBD 222 | SBD 333 |
|--|------------|---------|---------|
| Power consumption | 2.2kw | 4.4kw | 6.6kw |
| Fan power | 200W | 400W | 600W |
| Heater Power consumption | 2kw | 4kw | 6kw |
| The Number of Heaters and fans | 1/1 | 2/2 | 3/3 |
| Desired Temperature Range | 20~75℃ | | |
| Scheduled Dehumidifying Time setting | 00~24hours | | |
| The number of Trays | 11 | 22 | 33 |
| The maximum Load | 180kg | 330kg | 510kg |

05. Main Product _Separator

Livestock Sludge Separator



- Easy to operate with low electric power
- Highly efficient to separate livestock sludge by belt press type
- Easy to set the machine on the small space
- Processing Power: 7ton / hour
- Dimention : (L x W x H) 2200 x 1700 x 1100