

26-Ports PoE 10/100/1000Mbps Ethernet Switch

24-Ports PoE 10/100/1000Mbps TP + 4-SFP Slots(Combo Port : 23,24)



- 802.3at PoE 30.8Watt(Max. 400W)
- 26-Ports Gigabit(Combo Port : 23,24)
- Web Based Management, SNMP Management
- IGMP Snooping
- 24-Ports(802.3at PoE) + 4-SFP Slots Management
- Auto-Negotiation, Auto MDI-X
- IEEE 802.1p QoS, VoIP QoS
- IEEE 802.3at Power over Ethernet / PSE
- Port Mirroring
- Support IEEE 802.1 Q-in-Q LACP
- IEEE 802.1x user certification
- IEEE 802.1d & IEEE 802.1w Rapid Spanning Tree

Specifications

Technology	- Standard	IEEE 802.3 10Base-T IEEE 802.3z Gigabit SX/LX IEEE 802.1d Spanning tree protocol IEEE 802.1s Multiple Spanning Tree Protocol IEEE 802.1Q VLAN Tagging IEEE 802.1x Port Authentication Network Control	IEEE 802.3u 100Base-TX/100Base-FX IEEE 802.3ab Gigabit 1000T IEEE 802.1w Rapid Spanning Tree Protocol IEEE 802.1p Class of Service IEEE 802.3af Power over Ethernet IEEE 802.3at Power over Ethernet
Interface	- RJ45 Ports	24-Ports PoE 10/100/1000Mbps TP(Combo Port : 23,24), Auto-negotiation, Auto MDI-X	
	- Fiber Ports	4-SFP Slots(Combo Port: 23,24), 1000Mbps-SX/LX SFP, 100Mbps-FX SFP, Speed auto detection	
	- LED Indicators	System : Power Ports : 10/100/1000Mbps Link/Act, PoE In-Use, SFP Link	
Performance	- Back plane	Switch Fabric 52Gbps, 8K MAC Address table, Jumbo Frame 9.6Kbytes	
	- PoE (Power over Ethernet)	PoE Power Budget: Max. 400Watt Number of PD@7Watt / 24Ports Number of PD@15.4Watt / 24Ports Number of PD@30.8Watt / 12Ports	
Environmental	- Temperature	Operation: 0°C ~ 60°C, Store: -20°C ~ 80°C	
	- Humidity	5% ~ 95% (Non-condensing)	
Power requirements	- Input Voltage	100~240VAC, 50/60Hz	
Mechanical	- Dimensions	440mm(W) x 300mm(D) x 44mm(H)	

Ordering Information

Model Name	Description
SFC4000HP	24-Ports PoE 10/100/1000Mbps TP + 4-SFP Slots(Combo Port : 23,24)
SFP-SX	SFP(1.25Gbps) Module, Multi-mode, 220/550m, 850nm, LC Type
SFP-LX	SFP(1.25Gbps) Module, Single-mode, 20Km, 1310nm, LC Type
SFP-MM	SFP(155Mbps) Module, Multi-mode, 2Km, 1310nm, LC Type
SFP-SM	SFP(155Mbps) Module, Single-mode, 20Km, 1310nm, LC Type