

4. Ingredient Feeder

[SWIF4000]



[SWIF1000]



Application

: Injection of standard quantity of crushed cookies, flesh fruit, chocolate, almonds and nuts, and mixed with ice cream or similar products.

Application of special quality metal assures strong endurance, and the machine also provides convenient assembly, C.I.P and easy maintenance.



Products



[Main page](#)


[Video](#)

[Etc.](#)




SUNGWON
MACHINERY CO.,LTD.

Production process block diagram



Layout Ingredient Feeder (SWIF4000)



Optional : according to customer specifications

[Layout pdf file](#)

5

[Main page](#)


[Video](#)

[Etc.](#)



SUNGWON
MACHINERY CO.,LTD.

Layout Ingredient Feeder (SWIF4000)



Optional : according to customer specifications

[Layout pdf file](#)

6

[Main page](#)

[Video](#)

[Etc.](#)



SUNGWON
MACHINERY CO.,LTD.

Specification

Ingredient Feeder (SWIF4000)

1. Capacity : 16–170 L/HOUR (4–45 us Gals/h) Standard


HIGH : 60–710 L/h (16–170 us Gals/h) – option

2. Utility Consumption

– Electricity : 3PH 415V, 50/60HZ, 4KW

3. Option : Weight Checker (Loadcell Type)

Layout Ingredient Feeder (SWIF1000)



Optional : according to customer specifications

[Layout pdf file](#)

8

[Main page](#)


[Video](#)

[Etc.](#)



SUNGWON
MACHINERY CO.,LTD.

Layout Ingredient Feeder (SWIF1000)



Optional : according to customer specifications

Layout pdf file

Specification

Ingredient Feeder (SWIF1000)

1. Capacity : 16–170 L/HOUR (4–45 us Gals/h) Standard

3. Utility Consumption

– Electricity : 3PH 415V, 50/60HZ, 3KW

4. Option : Weight Checker (Loadcell Type)



Video

Ingredient Feeder

11

Main page

Etc.



SUNGWON
MACHINERY CO.,LTD.



Etc.

[Main page](#)



936-1, GUMUNCHEON-RI, HYANGNAP-EUP, HWASEONG-SI,
GYEONGGI-DO, KOREA

TEL : 82-31-366-0600 FAX : 82-31-366-2321

[Http : //swma.koreasme.com](http://swma.koreasme.com)

E-mail : sungwonm@chol.com

