PORTABLE MARKING SOLUTION

X-range **XF520Cp**

For part marking and identification, the **XF520Cp** portable machine offers both **speed** and **reliability** in a practical and compact size.

Suspension ring provided

USB drive

Ergonomic handle with trigger action

HIGH-PERFORMANCE

Uses the same technology as our integrated marking machines, running 24hours/day on automated production lines: serial numbers, logos, DataMatrix™ codes etc...

Speed, reliability and **excellent marking quality** : up to **10 characters per second !**

HAND-ADAPTED AND EFFICIENT

Lightweight, its **compact size** can mark locations that previous systems can't reach.

Marking is **accurate** and **efficient** in whichever position used.

Perfectly balanced and easy to handle (intuitive grip), this machine offers **optimal stability**, without uncomfortable vibration.

VERSATILE

Marks a wide range of materials: metals, alloys, plastics..., on **any type of surface**: raw, machined, painted..., of **any shape**: flat, curved... thanks to an integrated V-shaped universal feet system.

NEW GENERATION ELECTRONICS

Fast creation of the marking files thanks to an integrated **intuitive** and **user-friendly** software: Icons, pop-up help, **graphic preview** on a wide screen...

Ease of importing-exporting files and logos via a **USB drive**.

Data reception to mark via a keyboard, bar code reader or other computer systems.

Heavy and large parts

Hard-to-reach areas

Flat, convex or concave surfaces

Product Highlights

- Increased productivity
- Proven industrial reliability
- Maximum comfort of use
- Reduced training time
- New communication tools
- Tech support in every country

technifor

Portable marking solution: XF520Cp

APPLICATIONS

Permanent traceability on all types of metals or plastics.

Post-manufacturing marking
or at the end of a production line

Traceability in maintenance room

Marking of part lots
before shipping

Storage area identification
and classification

Identification
and recording of fixed assets

TECHNICAL SPECIFICATIONS

Characteristics:

- Net weight: XF520Cp: 2.7 kg (5.3lbs) - UC520: 3.9 kg (8.6lbs)
- Dimensions (w/o handle) LxWxH: 133x179x94 mm (5.2"x7.1"x3.7")
- Marking area: 50x20mm (2" x 3/4")
- External keyboard: 105 keys AT (supplied)
- UC520 screen: 240x128 pixels with **graphic preview**
- Memory capacity of over **1000 marking files**
- Character size: from 0.5 to 49.5mm (1/100" to 2")
- Fixed text, variables, date and time codes, counters etc...
- Flat, angular, radial marking etc...
- **Multilingua** and **compatible with any keyboard setting**

Accessories:

- Extended cords: up to 12m
- Custom positioning feet
- Bar code and Data Matrix™ readers

Environment and power supply:

- Power supply: 90 — 230 VAC
- Air pressure: 6 bars ± 0,5 (87psi) - non-lubricated dry air
- Power: 150 VA
- Functioning temperature: +5 to+45°C (41F to 113F)

Standards complied to:

- Machine directive" 98/37/CE.
- Electromagnetic compatibility directive 89/336/CEE.
- Low voltage directive 73/23/CEE.

technifor

A MARK WHICH DEFIES TIME

CERTIFIED QUALITY MANAGEMENT SYSTEM
ISO 9001:2000
DNV